



CZ

PRODUCT CATALOGUE



**WE DISTRIBUTE OUR PRODUCTS
TO MORE THAN 100 COUNTRIES
AROUND THE WORLD**



The technical specifications provided are for orientation purposes only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

CONTENTS

PISTOLS	6
<i>CZ TS 2 SERIES</i>	8
<i>CZ SHADOW 2 SERIES</i>	18
<i>CZ 75 SERIES</i>	26
<i>CZ P-10 SERIES</i>	28
<i>CZ P-07/09 SERIES</i>	38
<i>ADAPTERS KADET</i>	44
CENTERFIRE RIFLES	48
<i>CZ 600 SERIES</i>	50
<i>CZ TSR</i>	62
RIMFIRE RIFLES	66
<i>CZ 457 SERIES</i>	68
SHOTGUNS	86
<i>CZ-USA FIELD SPORTS SERIES</i>	88
SEMI-AUTOMATIC RIFLES / CARBINES	92
<i>CZ SCORPION EVO 3 S1 SERIES</i>	94
<i>CZ BREN 2 Ms SERIES</i>	98
ACCESSORIES	102



Dear Customers, Business Partners and Supporters of the CZ brand,

Ceska zbrojovka is one of the main pillars of Colt CZ Group, which is one of the world's leading manufacturers of small arms for hunting, shooting sports, personal defense and the armed forces. The synergy, mutually shared know-how and common values of all companies in the group are a guarantee of their further growth, as well as growth of the group as a whole.

I'm happy to welcome you to our new product catalogue. Like every year, we have some new, interesting products that we're looking forward to share with you.

Sport shooters will be delighted with our new CZ TS 2 ORANGE, which further refines the competition-tested and proven concept of the CZ TS 2. Your shooting skills will be fully utilized with this high performance pistol in hand, leading to improved results that help you reach the top of the podium. At the request of our customers, we have introduced the new CZ 457 VARMINT SYNTHETIC rimfire model, which features a heavy barrel and ergonomically friendly, fiber-reinforced polymer stock with soft-touch coating. The configuration of this model makes it an ideal choice for accurate sport shooting and hunting at medium to longer distances.

The complete portfolio of CZ products can be found within the pages of this catalogue, which consists of centerfire rifles, rimfire rifles, shotguns, pistols, and semi-automatic rifles and carbines, as well as a wide range of accessories. I am confident that you will find a product within our wide range that perfectly fulfills your wants and needs.

Thank you for your support and I wish you luck in choosing your new CZ firearm. And if you're buying your first CZ gun, I'm honored to welcome you to the ever-expanding, worldwide club of CZ customers and supporters!



Jan Zajic
CEO and Chairman of the Board of Directors



PISTOLS

CZ leads the world with a comprehensive line of advanced pistols that sees continuous innovation and expansion of models. We have an ideal firearm for everyone. All categories are covered, from supercompacts to full-size models and sport specials. Pistols within the different series are made from both traditional and modern, cutting edge materials with a selection of hammer-fired and striker-fired models. Keeping with the latest trends, selected models come ready for the installation of a suppressor and/or red dot sight.

A NEW GENERATION OF SA SPORT PISTOLS OPTIMIZED FOR THE **IPSC STANDARD** DIVISION

Since 2005, the TS – TACTICAL SPORTS label has been given to top sports specials based on the legendary CZ 75 model. The CZ TS 2 series is the result of development activities that draw upon the extensive experience of CZ Shooting Team members, together with the utilization of today's most advanced design and manufacturing processes.

*Kahlil Adrian Viray,
IPSC World Champion,
CZ Shooting Team*

CZ TS 2 SERIES

**MAIN
FEATURES
OF THE
CZ TS 2
SERIES**



Height adjustable metal rear sight (CZ TS 2 DEEP BRONZE, CZ TS 2 RACING GREEN and CZ TS 2 ORANGE)



1 mm red fiber optic front sight for quick and intuitive aiming



Attractive design of the slide, frame and sport hammer




Extended manual safety on left side



Single-Action (SA) only trigger mechanism with short travel and quick reset



Improved ergonomics contribute to comfortable handling during firing



Aggressive checkering ensures a firm and tactile grip

CZ TS 2 NEW ORANGE

A sport special developed in accordance with the latest trends in the IPSC Standard division. Its main, new feature is a heavy polished barrel, which has a number of advantages, chief among them more control during very quick, repetitive shots. Extra cocking serrations are placed on the top edge of the slide. The barrel-to-slide and slide-to-frame are hand-fitted to achieve the smallest possible tolerances for optimum operation. This model also comes with a thin profile thumb rest with ideal placement, higher positioned ambidextrous manual safeties and an adjustable rear sight. The duralumin grips, adjustable magazine release button, magwell and magazine base plate are made from orange anodized duralumin.

9 × 19 | 20 / 10 40 S&W | 17



**CHOICE OF
KAHLIL ADRIAN VIRAY
STANDARD DIVISION
WORLD CHAMPION
AT 2022 IPSC HANDGUN
WORLD SHOOT**
PATTAYA, THAILAND



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)
CZ TS 2 ORANGE	9 × 19	20 / 10	1470	225 × 45 × 149	130	Fiber optic front sight, Checkered rear sight	-	SA: 8	3-4	3-4
CZ TS 2 ORANGE	40 S&W	17	1460	225 × 45 × 149	130	Fiber optic front sight, Checkered rear sight	-	SA: 8	3-4	3-4

FRAME	GRIPS	SAFETY FEATURES
Steel	Duralumin	Manual safety, Safety notch on the hammer
Steel	Duralumin	Manual safety, Safety notch on the hammer



CZ TS 2 ORANGE – A NEW LEVEL OF ACCURACY AND SPEED

The multi-year domination of CZ pistols in several IPSC divisions was made possible by efforts of the entire CZ Team to make the already impressive CZ models even better. Most recently, CZ has managed to keep up this tradition with the release of its CZ TS 2 ORANGE sport special.

The CZ TS 2 series, primarily designed for competing in the IPSC Standard division, has not only drawn upon the extensive experience of elite CZ Shooting Team members in its development, but also the latest design and production techniques in its manufacture. Based on the proven CZ 75 platform, these single-action (SA), all-steel pistols come with a number of improvements over the previous generation of CZ sport specials for the Standard division. They're faster and more comfortable to shoot, more durable and come with advanced components right out of the box. A wide range of accessories and add-ons are also available.

Three variants were initially, and still are, offered in the CZ TS 2 series: the CZ TS 2 base model; the more advanced CZ TS 2 RACING GREEN with thumb rest; and the hand-fitted and matched CZ TS 2 DEEP BRONZE, which also comes with a thumb rest.

But now there's a new model in the series, the CZ TS 2 ORANGE, whose moniker refers to the anodized color of its duralumin grips, magwell,

magazine base plate and adjustable magazine release button. But with the CZ brand, the color orange also promises something truly special and top tier. So, what does this mean in the case of the CZ TS 2 series?

In keeping with the latest trends in the IPSC Standard division, the CZ TS 2 ORANGE features a heavy polished "bull" barrel, which was specially developed and manufactured for this model. Although it adds a little extra weight, it's not too dramatic and does not have any drawbacks for sport shooting. On the contrary, the increased weight, combined with moving the pistol's center of gravity forward, makes the gun even more comfortable to shoot. In fact, it's possible to shoot faster without experiencing a negative impact on accuracy. A longer service life of the barrel is another benefit.

The CZ TS 2 ORANGE is also more accurate than other CZ TS 2 models. This increase in accuracy is due to tighter locking and better centering of the barrel in the slide, as well as hand-fitting of the barrel-to-slide and slide-to-frame to achieve the smallest possible tolerances. The slide of the CZ TS 2 ORANGE comes with a new contour on its top and sides, matched guide rails and improved front cocking serrations compared to other models in the series. An additional feature, which is a first for CZ pistols, is cocking serrations on the upper front edge of the slide. Cocking the slide is now more comfortable and reliable than ever.

A top-mounted screw is used to attach the front sight, which makes it much easier for users to replace the front sight on the fly. The checkered rear sight is adjustable.

Another new feature is higher positioning of its ambidextrous manual safeties, which allow for quick and reliable operation without the risk of

inadvertent activation. They also serve as a thumb rest and are designed so the CZ TS 2 ORANGE easily fits inside the IPSC box.

The thumb rest on the left side of the frame features a new shape and optimized positioning, which is a direct result of members on the CZ Shooting Team participating in its design and placement. The word is they are more than satisfied with the end result. A reduction of magazine release button height by 2mm improves grip comfort, while maintaining very fast reloading speeds.

Changes to internal components include a modified recoil spring guide, which features an extended stem that locks into the lower barrel wall. Its improved design eliminates lateral movement during firing and extends the buffer's service life. In addition, disassembly of the firearm for basic maintenance is easier and more convenient.

Any pistol in the CZ TS 2 series is a great choice. When it comes time to decide on the best model for your needs, you should take your skills and goals into account and, of course, your financial means. But if you wish to compete and win at the highest level of the IPSC Production division, your choice of models within this series will be quick and easy – the CZ TS 2 ORANGE. It's simply the best that is currently available in the CZ TS 2 series.

Evidence of its high-level performance has already been proven at the 2022 IPSC Handgun World Shoot, where Filipino Kahlil Adrian Viray of the CZ Shooting Team won two world championship titles (Junior and Overall) with the CZ TS 2 ORANGE in hand! This competition also served as the world premiere of the CZ TS 2 ORANGE and it couldn't have asked for a better introduction to the sport shooting world!



CZ TS 2 DEEP BRONZE

A sport special with hand-fitted, custom components for competing in the IPSC Standard Division. It features a Deep Bronze finished frame and polished barrel. The flat grips, magazine base and adjustable magazine release are made from black anodized duralumin. A flat slide release and thumb rest come as standard.

9 × 19 | 20



CZ TS 2 RACING GREEN

A more advanced design of the sport special for the IPSC Standard Division with flat, green anodized duralumin grips and magazines with green anodized base plates. Advanced components include a height adjustable rear metal sight, thumb rest, flat slide stop and adjustable, green anodized magazine release button.

9 × 19 | 20



CZ TS 2

Base model of the sport special for competing in the IPSC Standard Division or for target shooting. This model is equipped with flat, silver anodized duralumin grips, fixed metal sights and an extended, manual safety on the left side of the pistol (flat safety on the right side).

9 × 19 | 20 40 S&W | 17

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ TS 2 DEEP BRONZE	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2 RACING GREEN	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	40 S&W	17	1380	225 × 44 × 149	130	Fiber optic front sight, Checkered rear sight	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer



THE MOST POPULAR FIREARMS FOR COMPETING IN THE **IPSC** PRODUCTION DIVISION

The CZ SHADOW 2 series is a family of high performance, large-capacity steel pistols for today's dynamic sport shooting disciplines. Models within this series allow good shooters to perform extremely well and the best shooters to win the most prestigious IPSC competitions.

*Eric Grauffel,
9x IPSC World Champion,
CZ Shooting Team*

CZ SHADOW 2 SERIES

MAIN
FEATURES
OF THE
CZ SHADOW 2
SERIES



Ergonomic, deep-seated grip for improved control during shooting



Height and side-to-side adjustable rear sight for easy aiming



Adjustable magazine release button for maximum reloading speeds



1 mm fiber optic front sight for extreme visibility and increased shooting accuracy



120 mm cold hammer forged barrel



Extended left safety button also serves as thumb rest (CZ SHADOW 2 SA and CZ SHADOW 2 ORANGE)



Smooth trigger pull and shortened reset



PRODUCTION OPTICS

CZ SHADOW 2 OR

The CZ SHADOW 2 pistol is extremely fast, yet at some shooting stages, it can be even faster. How is that possible? By using today's compact red dot sights. The OR (Optics-Ready) model allows for their easy, exceptionally low and secure attachment.

9 × 19 | 19



CZ SHADOW 2 SA

A target shooting model of the successful sports special with a single-action trigger mechanism and adjustable trigger designed to achieve the most accurate hits.

9 × 19 | 19

CZ SHADOW 2

The CZ Shadow 2 is an all-steel, large-capacity SA | DA pistol that is currently the most celebrated firearm in today's dynamic sport disciplines. This model is used by winners of the most prestigious IPSC shooting competitions.

9 × 19 | 19 / 10



PRODUCTION

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)
CZ SHADOW 2	9 × 19	19 / 10	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	-	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4
CZ SHADOW 2 OR	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	-	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4
CZ SHADOW 2 SA	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	-	SA: 15	3-4	3-4

FRAME	GRIPS	SAFETY FEATURES
Steel	Duralumin	Manual safety, Safety notch on the hammer
Steel	Duralumin	Manual safety, Safety notch on the hammer
Steel	Duralumin	Manual safety, Safety notch on the hammer



PISTOLS



CZ SHADOW 2 ORANGE

A perfect pistol that elevates your shooting experience and results to an unbelievable level! The superb design base of this model has been further improved by precise gunsmithing modifications and the use of top-quality sport shooting components.

9 × 19 | 19



CHOICE OF ERIC GRAUFFEL PRODUCTION DIVISION WORLD CHAMPION AT 2022 IPSC HANDGUN WORLD SHOOT

PATTAYA, THAILAND



CZ SHADOW 2 URBAN GREY

Traditional black is not the only color that suits sport. Our portfolio therefore includes a model whose frame is coated with a highly durable finish in the trendy and popular Urban Grey color scheme, which beautifully contrasts with the black aluminum grips.

9 × 19 | 19

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ SHADOW 2 ORANGE	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	-	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 URBAN GREY	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	-	SA: 15 DA: 46	SA: 3-4 DA: 5	3-4	Steel	Duralumin	Manual safety, Safety notch on the hammer



CZ 75 B

A modern version of one of the most famous pistols of all time. This all-steel, large-caliber SA | DA pistol with an external hammer still captivates users with its superb ergonomics and low trigger pull weight. The letter B stands for the automatic striker block, which improves drop safety.

9 × 19 | 16



CZ 75 COMPACT

A compact for fans of classic construction and traditional manufacturing materials. The main advantages of this all-steel pistol, which can be simply described as a smaller and lighter variant of the CZ 75 B, includes user-friendly control during shooting, high accuracy and extreme durability.

9 × 19 | 15



CZ 75 SP-01 SHADOW

IPSC Production division world champions have been fully involved in the development of this all-steel, SA | DA large caliber pistol with an external hammer.

9 × 19 | 19



CZ 75 P-01

A popular compact with an aluminum alloy frame and proven SA | DA trigger mechanism from the CZ 75 series. It's a clear choice for those looking for a powerful, reliable and user-friendly pistol with dimensions and weight optimized for everyday carry.

9 × 19 | 15

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ 75 B	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Steel	Polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 COMPACT	9 × 19	15	920	184 × 36 × 128	98,5	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Steel	Rubber	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 SP-01 SHADOW	9 × 19	19	1170	209 × 42 × 150	114	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 8±1 DA: 13±1	6–7	Steel	Rubber	Manual safety, Safety notch on the hammer
CZ 75 P-01	9 × 19	15	800	184 × 38 × 135	92,5	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Aluminum alloy	Rubber	Manual safety, Safety notch on the hammer, Firing pin block

RELIABLE STRIKER-FIRED PISTOL SERIES WITH POLYMER FRAME

The industry-leading CZ P-10 series is offered in a comprehensive array of sizes, from supercompact (CZ P-10 M) to subcompact (CZ P-10 S), compact (CZ P-10 C) and full-size (CZ P-10 F). Most models are also available with a design that allows for the easy installation of a suppressor and/or red dot sight.

All CZ P-10 series pistols feature maximum reliability, high accuracy, a long service life and shooting comfort. The sophisticated grip and checkering were created in accordance with the modern ergonomic DiFEND method, which significantly contributes to extreme user-friendliness. The very first model released in this series, the CZ P-10 C compact, was named “2017 Gun of the Year” by the prestigious American magazine “Guns & Ammo”.



CZ P-10 SERIES

MAIN FEATURES OF THE CZ P-10 SERIES



Extremely durable and weather resistant finish on slide and barrel



Front and rear cocking serrations for comfortable and safe handling



Lightweight and durable fiberglass-reinforced polymer frame is mechanically strong and thermally stable



Flat ambidextrous slide stop (CZ P-10 S, CZ P-10 C and CZ P-10 F models)



Swappable magazine release is right- and left-handed friendly



Three easily interchangeable backstrap sizes (S, M, L) to modify grip and finger reach



Ergonomic grip with prominent checkering for superb shooting comfort, stability and safety

CZ P-10 F

The full-size model of the CZ P-10 pistol is the ideal choice for shooters who prefer the best possible grip, maximum magazine capacity, a long barrel and an extended sight radius.

9 × 19 | 19 / 10



CZ P-10 F OR SR

The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

9 × 19 | 19

CZ P-10 F OR

The CZ P-10 F OR (Optics-Ready) has been designed for the increasingly popular option of mounting a red dot sight quickly and easily. The original CZ mounting interface is known for its robustness, strength, durability, low installation height and easy aiming with the red dot sight at short to long distances. This model also comes with high (cowitness) iron sights in case optics are damaged or fail.

9 × 19 | 19



CZ P-10 F 45 AUTO

This high-powered, full-size model combines an increased 13 + 1 firing capacity with key benefits of the CZ P-10 family, which include excellent ergonomics, light trigger pull, impressive durability, extreme reliability and high accuracy.

45 Auto | 13

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)
CZ P-10 F	9 × 19	19 / 10	810	203 × 32 × 150	114	Luminescent	No	25±4	9±1	4
CZ P-10 F OR	9 × 19	19	810	203 × 32 × 153	114	Luminescent	No	25±4	9±1	4
CZ P-10 F OR SR	9 × 19	19	830	225 × 32 × 153	134	Luminescent	1/2" × 28 UNEF – 3A	25±4	9±1	4
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25±4	9±1	4

FRAME	GRIPS	SAFETY FEATURES
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block

CZ P-10 C

Due to its compact dimensions, innovative design and large firing capacity, this highly advanced, striker-fired pistol is suitable for concealed carry.

9 × 19 | 15 380 Auto | 15



CZ P-10 C OR

The OR (Optics-Ready) model comes with a modified slide for easy attachment of a red dot sight. This original solution is characterized by its strong and durable assembly, low mounting height, easy aiming with a red dot sight (even at long distances), and the option to use iron sights in the event of the optics failing.

9 × 19 | 15



CZ P-10 C OR SR

The CZ P-10 C OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2" × 28 UNEF – 3A threads for mounting a suppressor.

9 × 19 | 15

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)
CZ P-10 C	9 × 19, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25±4	9±1	4
CZ P-10 C OR	9 × 19	15	740	187 × 32 × 135	102	Luminescent	No	25±4	9±1	4
CZ P-10 C OR SR	9 × 19	15	760	209 × 32 × 135	122	Luminescent	1/2" × 28 UNEF – 3A	25±4	9±1	4

FRAME	GRIPS	SAFETY FEATURES
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block



CZ P-10 S

A powerful, large-capacity subcompact with optimized dimensions for concealed carry, while maintaining the best possible shooting comfort, reliability and accuracy. With a larger 12+1 firing capacity, which is impressive for its class, the CZ P-10 S can be easily increased by another two 9 × 19 rounds with the exchangeable magazine base plate.

9 × 19 | 12



CZ P-10 S OR

A subcompact with the slide designed for easy mounting of red dot sights with the proper dimensions. High (co-witness) iron sights enable accurate shooting, even in the event of the optics being damaged or failing.

9 × 19 | 12



CZ P-10 M

The CZ P-10 M is a reliable and exceptionally accurate supercompact pistol chambered in 9 × 19 mm. Despite its radical miniaturization, it retains the stand out features that have set the CZ P-10 series apart from other striker-fired pistols, most notably outstanding ergonomics and a superb trigger. With a 7+1 capacity and internal slide stop, it's an ideal firearm for everyday concealed carry.

9 × 19 | 7



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)
CZ P-10 S	9 × 19	12	710	170 × 32 × 116	89,5	Luminescent	No	25±4	9±1	4
CZ P-10 S OR	9 × 19	12	710	170 × 32 × 119	89,5	Luminescent	No	25±4	9±1	4
CZ P-10 M	9 × 19	7	575	160,5 × 25,5 × 112	85	Luminescent	No	52	9±1	4


FRAME	GRIPS	SAFETY FEATURES
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety

WORLD LEADER IN THE **SA/DA** POLYMER PISTOL CATEGORY

The CZ P-07 (compact) and CZ P-09 (full-size) models enjoy an impressive reputation around the world for their comfortable and simple operation, high accuracy even during rapid firing, and absolute reliability in adverse conditions. Their main advantage is the original OMEGA trigger system, which features smooth trigger pull and low pull weight in both single-action and double-action modes. Easily accessible, ambidextrous controls can be easily converted from manual safety to decocker and vice versa. All calibers come with high capacity magazines, which can be further increased with an easily interchangeable magazine base plate.

CZ P-07/09
SERIES

**MAIN
FEATURES
OF THE
CZ P-09/07
SERIES**



Lightweight and durable fiberglass-reinforced polymer frame is mechanically strong and thermally stable



Sloping front of the slide for easier holstering



Front and rear cocking serrations allow for comfortable and safe handling of slide



Standardized MIL-STD-1913 rail allows for attachment of a flashlight, laser pointer or both



Easy user conversion from manual safety to decocker and vice versa



Three easily interchangeable backstrap sizes (S, M, L) to modify grip and finger reach



Extremely simple and reliable OMEGA trigger system

CZ P-09

Base model of this full-size SA | DA pistol range. The CZ P-09 is for shooters who require maximum accuracy, the highest possible firing capacity and the lowest possible weight. The highly durable fiberglass-reinforced polymer frame comes with interchangeable backstraps for customizing grip and finger reach.

9 × 19 | 19



CZ P-09 SR

A full-size model with an extended, threaded muzzle for easy and reliable installation of a suppressor. It's the ideal choice for shooters who care about protecting their ears and respecting their surroundings.

9 × 19 | 19



CZ P-07

An extremely popular model that combines the winning features of the OMEGA trigger mechanism, reduced dimensions and low weight, while retaining a large capacity magazine. As a result, you're provided with a perfectly sized firearm that's also an ideal choice for concealed carry.

9 × 19 | 15 380 Auto | 15



CZ P-07 SR

Another compact model in this popular series that follows the latest trends of having an extended, threaded muzzle for the easy and reliable installation of a suppressor.

9 × 19 | 15



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ P-09	9 × 19	19	860	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	-	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-09 SR	9 × 19	19	880	230 × 37 × 148	135	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	-	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07	9 × 19, 380 Auto	15	780	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	-	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07 SR	9 × 19	15	800	207 × 37 × 130	115	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	-	Manual safety, Safety notch on the hammer, Firing pin block



KADET ADAPTERS

Complete kits for the easy and quick conversion of selected CZ large caliber pistols to fire 22 LR cartridges. Assembly does not require any modifications. The basic kit always includes a 10-round magazine and a set of recoil springs to ensure reliable operation with all types of ammunition.

ADAPTER CZ 75 SP-01 KADET

22 LR | 10



ADAPTER CZ SHADOW 2 KADET

22 LR | 10



ADAPTER CZ P-09 KADET

22 LR | 10



ADAPTER CZ P-07 KADET

22 LR | 10



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	BARREL LENGTH (mm)	SIGHTS
ADAPTÉR CZ 75 SP-01 KADET	22 LR	10	300	120	Checkered rear sight
ADAPTÉR CZ SHADOW 2 KADET	22 LR	10	300	125	Checkered rear sight
ADAPTÉR CZ P-09 KADET	22 LR	10	300	120	Checkered rear sight
ADAPTÉR CZ P-07 KADET	22 LR	10	280	103	Checkered rear sight



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	GRIPS	SAFETY FEATURES
CZ TS 2 ORANGE	9 × 19	20 / 10	1470	225 × 45 × 149	130	Fiber optic front sight, Checkered rear sight	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2 ORANGE	40 S&W	17	1460	225 × 45 × 149	130	Fiber optic front sight, Checkered rear sight	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2 DEEP BRONZE	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2 RACING GREEN	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	9 × 19	20	1350	225 × 42 × 149	130	Fiber optic front sight, Height adjustable visor	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ TS 2	40 S&W	17	1380	225 × 44 × 149	130	Fiber optic front sight, Checkered rear sight	–	SA: 8	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2	9 × 19	19 / 10	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 3–4 DA: 5	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 OR	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 3–4 DA: 5	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 SA	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	–	SA: 15	3–4	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 ORANGE	9 × 19	19	1330	217 × 42 × 157	120	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 3–4 DA: 5	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ SHADOW 2 URBAN GREY	9 × 19	19	1330	217 × 34 × 157	120	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 3–4 DA: 5	3–4	Steel	Duralumin	Manual safety, Safety notch on the hammer
CZ 75 B	9 × 19	16	1170	208 × 36,5 × 144	114	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Steel	Polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 COMPACT	9 × 19	15	920	184 × 36 × 128	98,5	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Steel	Rubber	Manual safety, Safety notch on the hammer, Firing pin block
CZ 75 SP-01 SHADOW	9 × 19	19	1170	209 × 42 × 150	114	Fiber optic front sight, Checkered rear sight	–	SA: 15 DA: 46	SA: 8±1 DA: 13±1	6–7	Steel	Rubber	Manual safety, Safety notch on the hammer
CZ 75 P-01	9 × 19	15	800	184 × 38 × 135	92,5	Luminescent	–	SA: 20 DA: 46	SA: 9±1 DA: 15±1	6–7	Aluminum alloy	Rubber	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-10 F	9 × 19	19 / 10	810	203 × 32 × 150	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR	9 × 19	19	810	203 × 32 × 153	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR SR	9 × 19	19	830	225 × 32 × 153	134	Luminescent	1/2" × 28 UNEF – 3A	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C	9 × 19, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR	9 × 19	15	740	187 × 32 × 135	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR SR	9 × 19	15	760	209 × 32 × 135	122	Luminescent	1/2" × 28 UNEF – 3A	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S	9 × 19	12	710	170 × 32 × 116	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S OR	9 × 19	12	710	170 × 32 × 119	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 M	9 × 19	7	575	160,5 × 25,5 × 112	85	Luminescent	No	52	9±1	4	Fiberglass-reinforced polymer	–	Trigger safety, Trigger bar safety
CZ P-09	9 × 19	19	860	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	–	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-09 SR	9 × 19	19	880	230 × 37 × 148	135	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	–	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07	9 × 19, 380 Auto	15	780	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	–	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07 SR	9 × 19	15	800	207 × 37 × 130	115	Luminescent	1/2" × 28 UNEF – 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	–	Manual safety, Safety notch on the hammer, Firing pin block

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	BARREL LENGTH (mm)	SIGHTS
ADAPTÉR CZ 75 SP-01 KADET	22 LR	10	300	120	Checkered rear sight
ADAPTÉR CZ SHADOW 2 KADET	22 LR	10	300	125	Checkered rear sight
ADAPTÉR CZ P-09 KADET	22 LR	10	300	120	Checkered rear sight
ADAPTÉR CZ P-07 KADET	22 LR	10	280	103	Checkered rear sight





CENTERFIRE RIFLES

CZ rifles for hunting and sport are traditionally among the best long firearms available on the world market. As with all our products, the CZ brand is synonymous with ingenious design, reliability, accuracy and first-rate quality at an affordable price. The unique, highly modular design of the CZ 600 series comes with a number of patented features that improve all key characteristics – from reliability and durability to ergonomics and shooting comfort to safety and accuracy.

THE CZ 600 SERIES FEATURES A PATENT PROTECTED BOLT DESIGN THAT ENSURES 100% USER-CONTROLLED FEED IN ALL SHOOTING POSITIONS, AND EVEN UNDER THE MOST DEMANDING CONDITIONS

Other benefits include a patented, ergonomically designed vertical safety with completely silent operation, an exceptional magazine that users can select to function as detachable or locked, an extremely durable finish, and easy disassembly that requires no manipulation of the trigger. Models for hunting, sport and hobby are available in a wide range of popular calibers.




MAIN FEATURES OF THE CZ 600 SERIES



UNIQUE SAFETY
A patented, easy-to-access vertical safety at the top of the grip is released by pressing down and allows for completely silent operation.



LOCKABLE MAGAZINE
A detachable, double-stack magazine with a "push n' click" loading operation contributes to an exceptionally smooth and reliable feeding of rounds. The magazine is easily locked by sliding the magazine release up. When the magazine lock is activated, the firearm changes to a fixed magazine configuration.



CHANGE OF CALIBERS
Thanks to the modular design of the CZ 600 series, any authorized CZ service center can convert your rifle to another caliber from the range for a given receiver size with guaranteed shot retention after the first cold shot.



SAFE DISASSEMBLY
A spring-loaded button on the right side of the receiver allows for easy removal of the bolt without manipulating the trigger.




EXTREMELY DURABLE FINISH
The surface of metal components in the CZ 600 series comes with CZ's new BobOx chemical heat treatment, which gives it a hard, durable finish that resists corrosion.



PATENTED TRIGGER MECHANISM
A newly developed, user adjustable single- or double-stage trigger mechanism with four levels of pull weight that can be adjusted without removing the receiver from the stock.



EXTREME ACCURACY
The ALPHA, LUX and ERGO models are guaranteed to shoot sub-MOA at 100 m for 3 shot groups, and the RANGE model shoots sub-0.75 MOA for 5 shot groups. The compact TRAIL version is guaranteed to shoot 2 MOA. All models are tested using match-grade factory ammunition.



SHORT ROTATION OF BOLT HANDLE
Due to the use of a locking system, the bolt handle rotates 60° for quick and comfortable reloading without the risk of hitting the riflescope.



SUPERIOR QUALITY BARREL
High-precision barrels with caliber-optimized lengths are cold hammer forged using CZ technology. The barrel features a threaded muzzle for mounting accessories.



STANDARDIZED MOUNTING INTERFACE
CZ 600 series receivers are equipped with an integrated Weaver rail (aluminum) or Remington 700 type mounting interface (steel).



HIGHLY DURABLE RECEIVER
All CZ 600 series receivers are manufactured from durable aluminum or steel and come with a guaranteed service life of 20,000 shots.

CZ 600 **NEW** LUX

**A MODERN CENTERFIRE RIFLE WITH
A TRADITIONAL EUROPEAN DESIGN**



The newest, centerfire hunting rifle from CZ with a traditional, European-style wood stock is the CZ 600 LUX. Its barrel features mechanical, fiber optic front and rear sights. The steel receiver comes with a Remington 700-type interface for mounting optics.

223 Rem. | 5 308 Win. | 5 30-06 Spring. | 5 8 x 57 IS | 5 300 Win. Mag. | 3

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 LUX 223 Rem.	1:9 / 6	5	3,2	997	20 / 508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 LUX 308 Win.	1:10 / 4	5	3,8	1040	20 / 508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 LUX 30-06 Spring.	1:10 / 4	5	3,7	1053	20 / 508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 LUX 8 x 57 IS	1:9,5 / 4	5	3,6	1053	20 / 508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 LUX 300 Win. Mag.	1:10 / 4	3	3,9	1155	24 / 610	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)



CZ 600 **NEW** ALPHA

**DURABLE RIFLE
FOR EVERYDAY USE**

The CZ 600 ALPHA comes with a fiber-reinforced polymer stock and semi-heavy barrel. Optics can be mounted on the Weaver rail integrated on the durable aluminum receiver. Easy maintenance makes this model particularly well suited for those who use their rifle on a daily basis and deeply value durability and reliability, regardless of inclement weather.

**223 Rem. | 5 7,62 × 39 | 5 243 Win. | 5 308 Win. | 5 6,5 Creedmoor | 5 6 mm Creedmoor | 5
6,5 PRC | 3 270 Win. | 5 30-06 Spring. | 5 8 × 57 IS | 5 300 Win. Mag. | 3**

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 ALPHA 223 Rem.	1:7/6	5	3,0	1096	24 / 610	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 7,62 × 39	1:9,5/4	5	2,5	943	18 / 457	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 243 Win.	1:10/6	5	3,4	1020	20 / 508	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 308 Win.	1:10/4	5	3,2	1020	20 / 508	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 Creedmoor	1:7/6	5	3,4	1071	22 / 559	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6 mm Creedmoor	1:7/6	5	3,5	1071	22 / 559	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 PRC	1:7/6	3	3,4	1071	24 / 610	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 270 Win.	1:10/4	5	3,5	1033	20 / 508	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 30-06 Spring.	1:10/4	5	3,3	1033	20 / 508	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 8 × 57 IS	1:9,5/4	5	3,3	1033	20 / 508	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 300 Win. Mag.	1:10/4	3	3,5	1135	24 / 610	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)



CENTERFIRE RIFLES

CZ 600 **NEW** ERGO

CZ 600 SERIES



CENTERFIRE RIFLE WITH ERGONOMIC THUMBHOLE STOCK

A model refined for the back-country, the CZ 600 ERGO comes standard with a light profile barrel and an ergonomic, CZ-designed fiber-reinforced polymer stock with a distinctive thumbhole style pistol grip that delivers both comfort and control. All gripping surfaces feature padded inlays. The CZ 600 ERGO has a guaranteed, factory-tested sub-MOA at 100 meters (three-shot groups with match-grade factory ammunition).

223 Rem. | 5 308 Win. | 5 6,5 Creedmoor | 5 30-06 Spring. | 5 8 × 57 IS | 5 300 Win. Mag. | 3

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)
CZ 600 ERGO 223 Rem.	1:9 / 6	5	2,6	1013	20 / 508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370
CZ 600 ERGO 308 Win.	1:10 / 4	5	2,9	1038	20 / 508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370
CZ 600 ERGO 6,5 Creedmoor	1:7 / 4	5	3,0	1089	22 / 559	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370
CZ 600 ERGO 30-06 Spring.	1:10 / 4	5	2,9	1052	20 / 508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370
CZ 600 ERGO 8 × 57 IS	1:9,5 / 4	5	2,9	1052	20 / 508	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370
CZ 600 ERGO 300 Win. Mag.	1:10 / 4	3	3,1	1154	24 / 610	Light	No	M15 × 1	Fiber-reinforced polymer	Soft-touch	No	370

TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
Single-Stage, Adjustable	6-13,5	I (mini)
Single-Stage, Adjustable	6-13,5	II (medium)
Single-Stage, Adjustable	6-13,5	II (medium)
Single-Stage, Adjustable	6-13,5	III (long)
Single-Stage, Adjustable	6-13,5	III (long)
Single-Stage, Adjustable	6-13,5	III (long)



CENTERFIRE RIFLES

CZ 600 **NEW** RANGE

CZ 600 SERIES



**EXTREMELY ACCURATE
CENTERFIRE RIFLE FOR TARGET
SHOOTING**

The CZ 600 RANGE is a versatile target and hunting rifle for highly precise shooting at medium to long distances. It comes with a guaranteed, factory-tested accuracy of sub-0.75 MOA at 100 meters (five-shot groups when using match-grade factory ammunition). The stock is optimized for accuracy and features a tool-free, height adjustable comb. This model comes with a nitrided steel receiver.

308 Win. | 5 6 mm Creedmoor | 5

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)
CZ 600 RANGE 308 Win.	1:10 / 4	5	4,6	1140	24 / 610	Heavy	No	M18 x 1	Laminated Wood	Varnish	Adjustable	370
CZ 600 RANGE 6 mm Creedmoor	1:7 / 6	5	4,7	1140	24 / 610	Heavy	No	M18 x 1	Laminated Wood	Varnish	Adjustable	370

TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
Single-Stage, Adjustable	6-13,5	II (medium)
Single-Stage, Adjustable	6-13,5	II (medium)



CENTERFIRE RIFLES



CZ 600 SERIES

CZ 600 NEW TRAIL



COMPACT SPORTING RIFLE

A compact, accurate, bolt-action rifle with a PDW style telescopic stock and CZ BREN 2 style controls, the CZ 600 TRAIL is available in the popular calibers. It's a perfect choice for hobby shooters.

223 Rem. | 10 7,62 × 39 | 10 300 BLK | 10

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)
CZ 600 TRAIL 223 Rem.	1: 7 / 6	10	2,8	690-890	16 / 412	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	-	Yes	143-347
CZ 600 TRAIL 7,62 × 39	1: 9,5 / 4	10	2,8	690-890	16 / 412	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	-	Yes	143-347
CZ 600 TRAIL 300 BLK	1: 7 / 4	10	2,8	690-890	16 / 412	Semi-Heavy	No	M15 × 1	Fiber-reinforced polymer	-	Yes	143-347

TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
Double-Stage, Adjustable	4-6	9,5-17	I (mini)
Double-Stage, Adjustable	4-6	9,5-17	I (mini)
Double-Stage, Adjustable	4-6	9,5-17	I (mini)



CENTERFIRE RIFLES

CZ TSR



ADVANCED SPORT SPECIAL

The CZ TSR sport special is chambered in a proven, high-performance caliber that's optimized for highly precise, long-range shooting. The heavy, cold hammer forged barrel is guaranteed for a minimum of 10,000 shots with an accuracy of up to 1 MOA. This advanced and extremely reliable bolt-action rifle can be easily customized to each

user's requirements and preferences due to the extensive use of STANAG 4694 mounting rails, as well as a number of adjustable features. Its uniquely designed stock folds to the left or right side of the firearm for convenient transport. A further benefit is an adjustable pistol grip with interchangeable backstraps and storage space.

308 Win. | 10

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH
CZ TSR	308 Win.	1:11 / 4	10	6,3	931 / 1188±10	26 / 660	Heavy	No	M18 × 1	Muzzle Brake	7075 T6 Aluminum Alloy	Anodized

CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)
Adjustable	363-393	Double-Stage, Adjustable	3-5	10-20

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 LUX 223 Rem.	1:9/6	5	3,2	997	20/508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 LUX 308 Win.	1:10/4	5	3,8	1040	20/508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 LUX 30-06 Spring.	1:10/4	5	3,7	1053	20/508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 LUX 8 x 57 IS	1:9,5/4	5	3,6	1053	20/508	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 LUX 300 Win. Mag.	1:10/4	3	3,9	1155	24/610	Light	Yes	M15 x 1	Walnut	Oil	Yes	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 223 Rem.	1:7/6	5	3,0	1096	24/610	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 7,62 x 39	1:9,5/4	5	2,5	943	18/457	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ALPHA 243 Win.	1:10/6	5	3,4	1020	20/508	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 308 Win.	1:10/4	5	3,2	1020	20/508	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 Creedmoor	1:7/6	5	3,4	1071	22/559	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6 mm Creedmoor	1:7/6	5	3,5	1071	22/559	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 6,5 PRC	1:7/6	3	3,4	1071	24/610	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ALPHA 270 Win.	1:10/4	5	3,5	1033	20/508	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 30-06 Spring.	1:10/4	5	3,3	1033	20/508	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 8 x 57 IS	1:9,5/4	5	3,3	1033	20/508	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ALPHA 300 Win. Mag.	1:10/4	3	3,5	1135	24/610	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	355	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ERGO 223 Rem.	1:9/6	5	2,6	1013	20/508	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	I (mini)
CZ 600 ERGO 308 Win.	1:10/4	5	2,9	1038	20/508	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ERGO 6,5 Creedmoor	1:7/4	5	3,0	1089	22/559	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 ERGO 30-06 Spring.	1:10/4	5	2,9	1052	20/508	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ERGO 8 x 57 IS	1:9,5/4	5	2,9	1052	20/508	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 ERGO 300 Win. Mag.	1:10/4	3	3,1	1154	24/610	Light	No	M15 x 1	Fiber-reinforced polymer	Soft-touch	No	370	Single-Stage, Adjustable	6-13,5	III (long)
CZ 600 RANGE 308 Win.	1:10/4	5	4,6	1140	24/610	Heavy	No	M18 x 1	Laminated Wood	Varnish	Adjustable	370	Single-Stage, Adjustable	6-13,5	II (medium)
CZ 600 RANGE 6 mm Creedmoor	1:7/6	5	4,7	1140	24/610	Heavy	No	M18 x 1	Laminated Wood	Varnish	Adjustable	370	Single-Stage, Adjustable	6-13,5	II (medium)

MODEL	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)	RECEIVER SIZE
CZ 600 TRAIL 223 Rem.	1:7/6	10	2,8	690-890	16/412	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)
CZ 600 TRAIL 7,62 x 39	1:9,5/4	10	2,8	690-890	16/412	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)
CZ 600 TRAIL 300 BLK	1:7/4	10	2,8	690-890	16/412	Semi-Heavy	No	M15 x 1	Fiber-reinforced polymer	-	Yes	143-347	Double-Stage, Adjustable	4-6	9,5-17	I (mini)

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)
CZ TSR	308 Win.	1:11/4	10	6,3	931/1188±10	26/660	Heavy	No	M18 x 1	Muzzle Brake	7075 T6 Aluminum Alloy	Anodized	Adjustable	363-393	Double-Stage, Adjustable	3-5	10-20





RIMFIRE RIFLES

A gateway to the fascinating world of guns and shooting. They're an irreplaceable training aid and exciting source of entertainment, as well as an effective hunting tool and target shooter. These are considered the traditional qualities of long firearms that use rimfire ammunition, so-called rimfire rifles, and models from CZ have served as excellent examples for more than 70 years. The best proof of their success is the millions of satisfied customers and fans around the world, together with the fact that CZ is considered a global standard in this segment. The backbone of its current range is the CZ 457 bolt-action rifle series, which brings many outstanding features to the table.

CZ 457 SERIES A NEW GENERATION OF MODERN RIMFIRE RIFLES

The CZ 457 series offers exceptional user comfort due to its easy, fast and reliable operation, even with a mounted riflescope. For maximum safety, it comes with a push-to-fire safety on the right side of the receiver, striker status indicator and a separate bolt extractor control. Shooting accuracy is ensured with its adjustable trigger mechanism that features low trigger pull weight and excellent travel, combined with a noticeably lighter striker and a new type of bedding. Other benefits include an extremely durable anticorrosion finish on metal parts, easy change of caliber by users and reliable polymer magazines that are compatible with the previous generation of CZ rimfire rifles.



**MAIN
FEATURES
OF THE
CZ 457
SERIES**



Adjustable trigger mechanism for setting pull weight and trigger travel



Striker status indicator




Top quality cold hammer forged barrels and easy replacement of barrel with an option to change the caliber



New ergonomic stocks



Lighter striker increases striking speed and reduces vibration during firing



New type of bedding constantly tightens screws in stock for high accuracy and extreme barrel stability




Open and remove bolt even with safety engaged



Intuitive push-to-fire safety



Separate bolt removal



60° angle of the bolt handle for quick and convenient reloading, even with a mounted riflescope



Match chamber (selected 22 LR caliber models)

CZ 457 MDT



NEW



A sport model with an attractive duralumin chassis from the renowned MDT brand. Its fluted barrel with MATCH chamber is fitted with a compensator and the stock features a height adjustable comb. LOP can be changed through the use of the four included buttpad spacers. The Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope, even at longer distances.

22 LR | 5

CZ 457 LRP BLACK



NEW



A new version of this popular model for accurate, long range shooting. It comes with a 20" heavy and fluted cold hammer forged barrel, MATCH chamber and an effective cylindrical compensator mounted on the muzzle. All key features of its black, target-style stock are adjustable. A Picatinny mounting rail with 25 MOA inclination allows for easy sighting in of the riflescope.

22 LR | 5

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 MDT	22 LR (1:16)	5	3,4	1010	20 / 525	Heavy, Fluted	No	1/2 x 20	Yes	Duralumin	Cerakote	Adjustable	335-360	Adjustable	11,1-14
CZ 457 LRP BLACK	22 LR (1:16)	5	3,9	1010	20 / 525	Heavy, Fluted	No	1/2 x 20	Yes	Beech	Soft-touch	Adjustable	351-382	Adjustable	11,1-14



RIMFIRE RIFLES

CZ 457 AT-ONE



The CZ 457 AT-ONE sport model from the CZ-USA range, which is held in high regard by our customers, is part of our worldwide offer of the CZ 457 series. This specially designed rifle is equipped with a varmint barrel with MATCH chamber and a solid laminated wood stock from the well-known American brand Boyds, which features an easily adjustable butt pad and comb. Classic sling loops are complemented by a quick-release loop with anchor holes on both sides of the stock.

22 LR | 5



CZ 457 THUMBHOLE **NEW**

The perfect combination of ergonomics and elegance. The defining characteristic of this model is its thumbhole stock made from high-strength, gray-brown laminated wood, which also features a unique integrated trigger guard. Its sophisticated stock design allows for comfortable use by both right- and left-handed shooters.

17 HMR | 5 22 LR | 5 22 WMR | 5

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 AT-ONE	22 LR (1 : 16)	5	3,5	935-982	20 / 525	Heavy	No	1/2 x 20	No	Laminated	Varnish	Adjustable	313-360	Adjustable	11,1-14
CZ 457 THUMBHOLE 16"	22 LR (1 : 16)	5	3,2	885	16 / 412,5	Heavy	No	1/2 x 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	17 HMR (1 : 9)	5	3,6	997	20 / 525	Heavy	No	1/2 x 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	22 LR (1 : 16)	5	3,5	997	20 / 525	Heavy	No	1/2 x 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	22 WMR (1 : 16)	5	3,5	997	20 / 525	Heavy	No	1/2 x 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14

CZ 457 SERIES

RIFLE RIFLES

CZ 457 STAINLESS

A trail model created for those who appreciate the use of premium materials. Along with the many strengths of the 457 series, this 22 LR caliber rifle features an attractive digital camouflage on its soft-touch finished polymer stock and comes with a light profile, weather-resistant stainless steel barrel.

22 LR | 5



CZ 457 SYNTHETIC

The main feature for this model is increased resistance to adverse environmental conditions. All metal components come with a high quality, anti-corrosion finish. Its ergonomically friendly, and extremely strong, polymer stock comes with a soft-touch finish and is resistant to moisture, cold and heat.

17 HMR | 5 22 LR | 5 22 WMR | 5

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 STAINLESS	22 LR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 16"	22 LR (1 : 16)	5	2,3	865	16 / 412,5	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 20"	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC SET	22 LR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14

CZ 457 SYNTHETIC SET

With an increased resistance to adverse weather conditions, this model is available as a basic version or as a set with a 3-9 × 42 riflescope developed especially for this series. The riflescope is sighted in at 50 meters and is securely attached on a durable, two-piece duralumin mount. Reliable and consistent shot groupings are ensured through tests carried out on all CZ centerfire rifles.

22 LR | 5



CZ 457 VARMINT SYNTHETIC NEW

A model created at the request of our customers. It's an ideal choice for accurate sport shooting and hunting at medium to longer distances, due to its heavy barrel and polymer stock with increased resistance to adverse weather conditions.

17 HMR | 5 22 LR | 5



This model is also available as a left-handed version.

CZ 457 VARMINT LH NEW

22 LR | 5



CZ 457 VARMINT

A popular design with an American-style varnished stock and heavy 525 mm barrel, which makes it ideal for accurate sport shooting and hunting at medium to long distances. The proven 11 mm CZ dovetail is milled into the top of the receiver for attaching riflescope ringmounts.



17 HMR | 5 22 LR | 5 22 WMR | 5

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 VARMINT SYNTHETIC 16"	17 HMR (1 : 9), 22 LR (1 : 16)	5	2,6	865	16 / 412,5	Heavy	No	1/2 x 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 VARMINT SYNTHETIC 20"	22 LR (1 : 16)	5	2,9	977	20 / 525	Heavy	No	1/2 x 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 VARMINT	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	3,3	981	20 / 525	Heavy	No	1/2 x 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 VARMINT LH	22 LR (1 : 16)	5	3,3	981	20 / 525	Heavy	No	1/2 x 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 MTR 16"	22 LR (1 : 16)	5	3,5	859	16 / 412,5	Heavy	No	1/2 x 20	No	Walnut	Oil	No	350	Adjustable	11,1-14
CZ 457 MTR 20"	22 LR (1 : 16)	5	3,5	976	20 / 525	Heavy	No	1/2 x 20	No	Walnut	Oil	No	350	Adjustable	11,1-14


CZ 457 MTR MATCH CHAMBER

A highly precise model with a special stock made from premium walnut. The heavy, cold hammer forged match-grade barrel in 22 LR caliber is equipped with a MATCH chamber. Thanks to this feature, and all other improvements in the CZ 457 series, this model guarantees 15 mm groups at a distance of 50 m.

22 LR | 5

CZ 457 SERIES

RIMFIRE RIFLES



CZ 457 ROYAL

With this original model, CZ returns to the roots of rimfire rifles. The premium walnut stock has a cheekpiece and decorative forend tip made from high-grade material.

17 HMR | 5 22 LR | 5 22 WMR | 5



CZ 457 AMERICAN

The perfect example of a classic American sport shooting and hunting rimfire rifle. The varnished American-style stock is made from high quality walnut, with checkering on the grip that incorporates a fleur-de-lis motif. The light profile, cold hammer forged barrel is 630 mm long and has no sights.

17 HMR | 5 22 LR | 5 22 WMR | 5

This model is also available as a left-handed version.



CZ 457 AMERICAN LH NEW

22 LR | 5



MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 ROYAL 16"	17 HMR (1 : 9), 22 LR (1 : 16)	5	2,9	857	16 / 412,5	Light	No	1/2 x 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 ROYAL 20"	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,9	977	20 / 525	Light	No	1/2 x 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 AMERICAN	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	3,0	1087	24 / 630	Light	No	1/2 x 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 AMERICAN LH	22 LR (1 : 16)	5	3,0	1087	24 / 630	Light	No	1/2 x 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14

CZ 457 JAGUAR XII

The 457 Jaguar XII is a modern version of the popular rimfire rifles from CZ. It features the longest barrel on offer (726 mm), as well as a tangent rear sight adjustable between 25 and 200 m, stock with a jaguar motif, and claw marks in place of traditional checkering. Standard accessories include a 10-round metal magazine.

22 LR | 10



This model is also available as a left-handed version.

CZ 457 PREMIUM

The 457 Premium is a model that will impress all fans of classically shaped hunting rifles. Its premium walnut stock features a cheekpiece and decorative forend from high-grade material. The 630 mm light profile barrel has a 1/2 x 20 muzzle thread for the attachment of a suppressor. Aiming is quick and intuitive with its tangent rear sight and fiber optic front sight.

17 HMR | 5 22 LR | 5 22 WMR | 5

CZ 457 PREMIUM LH NEW

22 LR | 5



MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 JAGUAR XII	22 LR (1:16)	10	3,3	1182	28 / 726	Light	Yes	1/2 x 20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 PREMIUM	17 HMR (1:9), 22 LR (1:16), 22 WMR (1:16)	5	3,2	1085	24 / 630	Light	Yes	1/2 x 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 PREMIUM LH	22 LR (1:16)	5	3,2	1085	24 / 630	Light	Yes	1/2 x 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14

CZ 457 SERIES

CZ 457 LUX

A rimfire rifle with a classic European centerfire hunting rifle design. The varnished stock with cheekpiece is made of high-quality Turkish walnut and features laser-etched checkering on the grip. Traditional iron sights come as standard.

17 HMR | 5 22 LR | 5 22 WMR | 5



CZ 457 TRAINING RIFLE XII NEW

CZ rimfire rifles with the Training Rifle moniker have traditionally been the ideal firearm for novice shooters of all ages. In this case, it is all the more true thanks to the benefits of the CZ 457 series that significantly increase user safety, accuracy and the rifle's service life. Like the CZ JAGUAR XII, the barrel on this model comes with a 12 groove bore.

22 LR | 5

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 LUX	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,9	1088	24 / 630	Light	Yes	1/2 × 20	No	Walnut	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 TRAINING RIFLE XII	22 LR (1 : 16)	5	3,1	1085	24 / 630	Light	Yes	1/2 × 20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14

CZ 457 SERIES

RIMFIRE RIFLES

MODEL	CALIBER (TWIST RATE)	MAGAZINE CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	BARREL PROFILE	SIGHTS	THREAD	COMPENSATOR	STOCK	FINISH	CHEEKPIECE	LOP (mm)	TRIGGER	TRIGGER PULL WEIGHT (N)
CZ 457 MDT	22 LR (1 : 16)	5	3,4	1010	20 / 525	Heavy, Fluted	No	1/2 × 20	Yes	Duralumin	Cerakote	Adjustable	335-360	Adjustable	11,1-14
CZ 457 LRP BLACK	22 LR (1 : 16)	5	3,9	1010	20 / 525	Heavy, Fluted	No	1/2 × 20	Yes	Beech	Soft-touch	Adjustable	351-382	Adjustable	11,1-14
CZ 457 AT-ONE	22 LR (1 : 16)	5	3,5	935-982	20 / 525	Heavy	No	1/2 × 20	No	Laminated	Varnish	Adjustable	313-360	Adjustable	11,1-14
CZ 457 THUMBHOLE 16"	22 LR (1 : 16)	5	3,2	885	16 / 412,5	Heavy	No	1/2 × 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	17 HMR (1 : 9)	5	3,6	997	20 / 525	Heavy	No	1/2 × 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	22 LR (1 : 16)	5	3,5	997	20 / 525	Heavy	No	1/2 × 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 THUMBHOLE 20"	22 WMR (1 : 16)	5	3,5	997	20 / 525	Heavy	No	1/2 × 20	Yes	Laminated	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 STAINLESS	22 LR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 16"	22 LR (1 : 16)	5	2,3	865	16 / 412,5	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC 20"	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 SYNTHETIC SET	22 LR (1 : 16)	5	2,5	977	20 / 525	Light	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 VARMINT SYNTHETIC 16"	17 HMR (1 : 9), 22 LR (1 : 16)	5	2,6	865	16 / 412,5	Heavy	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 VARMINT SYNTHETIC 20"	22 LR (1 : 16)	5	2,9	977	20 / 525	Heavy	No	1/2 × 20	No	Polymer	Soft-touch	No	356	Adjustable	11,1-14
CZ 457 VARMINT	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	3,3	981	20 / 525	Heavy	No	1/2 × 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 VARMINT LH	22 LR (1 : 16)	5	3,3	981	20 / 525	Heavy	No	1/2 × 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 MTR 16"	22 LR (1 : 16)	5	3,5	859	16 / 412,5	Heavy	No	1/2 × 20	No	Walnut	Oil	No	350	Adjustable	11,1-14
CZ 457 MTR 20"	22 LR (1 : 16)	5	3,5	976	20 / 525	Heavy	No	1/2 × 20	No	Walnut	Oil	No	350	Adjustable	11,1-14
CZ 457 ROYAL 16"	17 HMR (1 : 9), 22 LR (1 : 16)	5	2,9	857	16 / 412,5	Light	No	1/2 × 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 ROYAL 20"	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,9	977	20 / 525	Light	No	1/2 × 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 AMERICAN	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	3,0	1087	24 / 630	Light	No	1/2 × 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 AMERICAN LH	22 LR (1 : 16)	5	3,0	1087	24 / 630	Light	No	1/2 × 20	No	Walnut	Varnish	No	360	Adjustable	11,1-14
CZ 457 JAGUAR XII	22 LR (1 : 16)	10	3,3	1182	28 / 726	Light	Yes	1/2 × 20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 PREMIUM	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	3,2	1085	24 / 630	Light	Yes	1/2 × 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 PREMIUM LH	22 LR (1 : 16)	5	3,2	1085	24 / 630	Light	Yes	1/2 × 20	No	Walnut	Oil	Yes	360	Adjustable	11,1-14
CZ 457 LUX	17 HMR (1 : 9), 22 LR (1 : 16), 22 WMR (1 : 16)	5	2,9	1088	24 / 630	Light	Yes	1/2 × 20	No	Walnut	Varnish	Yes	360	Adjustable	11,1-14
CZ 457 TRAINING RIFLE XII	22 LR (1 : 16)	5	3,1	1085	24 / 630	Light	Yes	1/2 × 20	No	Beech	Varnish	Yes	360	Adjustable	11,1-14





SHOTGUNS CZ-USA FIELD SPORTS

Borrowing from the most popular firearms in the CZ-USA portfolio, this diverse range of shotguns exhibits excellent construction quality, reliability and user-friendliness. The traditional core offer is a proven range of semi-automatic and pump action shotgun models for hunting and sport shooting, for which a wide selection of interchangeable chokes is available. There's something for everyone on the following pages.

CZ SUPREME FIELD

An elegant over/under shotgun made for shooters who require more than just accuracy and reliability from their firearm. The beautiful CNC machined receiver is chrome plated, polished and hand engraved. The stock is made from carefully selected Turkish walnut (Grade III) and features a beautiful image. Additional features include ejectors and a single trigger mechanism that allows you to choose firing order of the barrels.

12/76 | 2



CZ REDHEAD PREMIER

A high level, universal 12-gauge over/under shotgun designed for sport shooting and hunting. The precision CNC machined receiver is chrome plated, which gives it a shiny silver appearance. This model is equipped with ejectors for the fastest reloading times and a single trigger mechanism that allows you to choose the barrel firing order.

12/76 | 2

MODEL	CHAMBERING	CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	STOCK	FINISH	CHEEKPIECE	LOP (mm)	CHOKE	EJECTOR/EXTRACTOR	1ST TRIGGER PULL WEIGHT (N)	2ND TRIGGER PULL WEIGHT (N)
CZ SUPREME FIELD	12/76	2	3,5	1160	28 / 710	Walnut	Varnish	No	355	Multi (5 pcs)	Ejectors	16	16
CZ REDHEAD PREMIER	12/76	2	3,5	1160	28 / 710	Walnut	Varnish	No	355	Multi (5 pcs)	Ejectors	19,5	15,5
CZ DRAKE	12/76	2	3,3	1160	28 / 710	Walnut	Varnish	No	355	Multi (5 pcs)	Extractor	19	17,5
CZ ALL-AMERICAN	12/76	2	4,0	1220	30 / 760	Walnut	Varnish	Adjustable	355	Multi (5 pcs)	Ejectors	10	8,5

CZ DRAKE

The CZ Drake is an over/under shotgun with an extremely advantageous price to performance ratio. CNC machining of components is also utilized for this model. Features include extractor operation, a single selectable trigger mechanism with the ability to choose the firing order of barrels, low weight due to the deletion of the mid-rib between barrels, and laser cut checkering for a slip-free grip.

12/76 | 2



CZ ALL-AMERICAN

A 12-gauge sport over/under shotgun with an adjustable butt plate and comb for tuning the gun to your specific body dimensions and shooting style. To minimize recoil, main ports are provided and the trigger mechanism fires the lower barrel first. High-precision CNC machining of all components allows for easy and trouble-free installation of spare parts.

12/76 | 2

CZ 1012

A 12-gauge semi-automatic shotgun with a gasless inertia operating system for maximum reliability. Its user-friendliness was confirmed with a test of 5,000 shots without a drop of oil or any type of cleaning, while experiencing zero parts breakage or malfunctions. This model is equipped with a stock and forend made from Turkish walnut.

12/76 | 4



CZ 1012 SYNTHETIC

A semi-automatic 12-gauge shotgun with a gasless inertia operating system, which provides maximum reliability with various types of ammunition, from light-recoiling target loads to powerful 3" magnums, and allows for a more relaxed maintenance schedule. A durable polymer stock makes it an ideal firearm for use in extremely inhospitable conditions. A wide range of chokes is also available for this model.

12/76 | 4

MODEL	CHAMBERING	CAPACITY	WEIGHT (kg)	LENGTH (mm)	BARREL LENGTH ("/mm)	STOCK	FINISH	CHEEKPIECE	LOP (mm)	CHOKE	TRIGGER PULL WEIGHT (N)
CZ 1012	12/76	4	3,5	1285	28 / 710	Walnut	Varnish	Yes	355	Multi (5 pcs)	20
CZ 1012 SYNTHETIC	12/76	4	3,1	1285	28 / 710	Polymer	-	Yes	355	Multi (5 pcs)	20
CZ 612 HOME DEFENSE	12/76	4	2,6	970	18,5 / 470	Polymer	-	No	355	Fixed Cylinder	17
CZ 612 FIELD	12/76	4	2,8	1170	28 / 710	Walnut	Varnish	No	355	Multi (3 pcs)	17



CZ 612 HOME DEFENSE

A simple 12-gauge pump action shotgun with a durable polymer stock and reduced length, 47 cm barrel with fixed cylinder choke. The result is a compact, reliable and powerful firearm especially suited for home defense, while also being a great choice for competing in IPSC disciplines.

12/76 | 4



CZ 612 FIELD

A reliable and affordable 12-gauge pump action shotgun for sport and hunting. The simple and durable pump reloading system has very low maintenance requirements, while the dual action bars make operation smooth and reliable. The stock is made of Turkish walnut and three interchangeable chokes come as part of its standard equipment.

12/76 | 4





SEMI-AUTOMATIC RIFLES/CARBINES

The semi-automatic CZ SCORPION EVO 3 S1 and CZ BREN 2 Ms series are among the world's elite in their respective categories. Their parameters and high level of performance make them an ideal choice for today's dynamic shooting sports, as well as maintaining shooting fitness and hobby shooting.

SEMI-AUTOMATIC CARBINES FOR MODERN SHOOTING SPORTS

The unique design of the CZ SCORPION EVO 3 S1 series offers its users many benefits, such as light weight, advanced ergonomics, high accuracy, comfortable handling, ease of disassembly, impressive reliability and extremely fast reloading.



CZ SCORPION EVO 3 S1 SERIES

CZ **SCORPION EVO 3 S1** CARBINE

A highly accurate and reliable semi-automatic carbine with a 16" barrel that's fitted with an attractive faux-suppressor. Its long, fiberglass-reinforced polymer forend is equipped with a modern M-LOK attachment system for comfortable handling.

9 × 19 | 10



CZ **SCORPION EVO 3 S1** CARBINE COMP

The increased shooting comfort of this model is due to an effective two-chamber muzzle brake fitted on its 16" barrel and a long forend equipped with the M-LOK attachment system. It's a first-class firearm for modern sport and hobby shooting.

9 × 19 | 10



CZ **SCORPION EVO 3 S1**



A semi-automatic rifle chambered for pistol cartridges. Its simple design, extreme reliability, light weight, easy handling and accuracy make it the perfect fit for modern shooting sports and hobby shooting.

9 × 19 | 20

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	FRAME
CZ SCORPION EVO 3 S1 CARBINE	9 × 19	1:10 / 6	10	16,2 / 412±1	1/2" × 28 UNEF	Iron, Adjustable	3,05±0,05	630 / 830-880±10	215±5	60 / 82±5	48±10	Fiberglass-reinforced polymer
CZ SCORPION EVO 3 S1 CARBINE COMP	9 × 19	1:10 / 6	10	16,2 / 412±1	1/2" × 28 UNEF	Iron, Adjustable	3,05±0,05	665 / 860-910±10	215±5	60 / 82±5	48±10	Fiberglass-reinforced polymer
CZ SCORPION EVO 3 S1	9 × 19	1:10 / 6	20	7,7 / 196±1	M18 × 1	Iron, Adjustable	2,56±0,05	420 / 615-665±10	215±5	60 / 82±5	48±10	Fiberglass-reinforced polymer

A man with a beard and glasses, wearing a dark cap with a CZ logo and a dark t-shirt, is holding a CZ Bren 2 Ms semi-automatic rifle. He is looking directly at the camera with a serious expression. The background is a dark shooting range with acoustic foam panels. The lighting is dramatic, highlighting the man's face and the rifle. The overall tone is professional and focused.

CUTTING-EDGE SEMI-AUTOMATIC RIFLES WITH IMPRESSIVE PARAMETERS

The CZ BREN 2 Ms semi-automatic platform is one of the most sophisticated on the global market. Its advantages include a simple design, extreme reliability, high accuracy, low weight and excellent ergonomics, as well as ambidextrous and easy to swap controls.

CZ BREN 2 Ms SERIES

CZ **BREN 2 Ms**

The semi-automatic CZ BREN 2 Ms rifle is chambered in the popular 223 Rem. caliber. It features a short, interchangeable forend and 280 mm barrel. Despite its compact dimensions, it's a highly accurate firearm. Standard equipment includes a 10-round magazine and mechanical sights.

223 Rem. | 10



CZ **BREN 2 Ms**

This model combines the outstanding design features of the CZ BREN 2 Ms series with the impressive ballistic performance of the 7,62 × 39 cartridge. Standard equipment includes a 10-round magazine and mechanical sights.

7,62 × 39 | 10



CZ **BREN 2 Ms** CARBINE

The CZ BREN 2 Ms semi-automatic carbine is chambered in the popular 223 Rem. caliber. It comes with a long, interchangeable forend, 425 mm barrel and extended folding/telescopic shoulder stock with raised comb. Its design is optimized for accurate shooting, even at longer distances. Standard equipment includes a 10-round magazine and mechanical sights.

223 Rem. | 10

MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 Ms 11"	223 Rem.	1:7 / 6	10	11 / 280±1	1/2" × 28 UNEF	Iron, Folding, Adjustable	2,97±0,05	577 / 762–807±10	202±5	80 / 104±5	16±4	7075 T6 aluminum alloy
CZ BREN 2 Ms 11"	7,62 × 39	1:9,45 / 4	10	11 / 280±1	M14 × 1 LH	Iron, Folding, Adjustable	2,87±0,05	577 / 762–807±10	202±5	80 / 104±5	16±4	7075 T6 aluminum alloy
CZ BREN 2 Ms CARBINE	223 Rem.	1:7 / 6	10	16,5 / 425±1	1/2" × 28 UNEF	Iron, Folding, Adjustable	3,45±0,05	719 / 909–980±10	202±5	80 / 104±5	16±4	7075 T6 aluminum alloy



A0103-0001
TACT. FLASHLIGHT INFORCE WML, 400 LM

A0103-0001-0003
TACT. FLASHLIGHT INFORCE WML, 400 LM
FDE

A0103-0002
TACT. FLASHLIGHT INFORCE WML, 400 LM IR



A0203-0001
TACT. FLASHLIGHT INFORCE WMLX, 800 LM

A0203-0002
TACT. FLASHLIGHT INFORCE WMLX, 700 LM, LR



A0101-0008
RED DOT AIMPOINT MICROT-2, SCR. (200170)



A0212-0003
CZ BREN 2, CZ SCORPION EVO 3
SET -SIGHTS STANDARD FPS AL

A0212-0004
CZ BREN 2, CZ SCORPION EVO 3
SET -SIGHTS STANDARD FPS SAFETY

A0212-0005
CZ BREN 2, CZ SCORPION EVO 3
SET -SIGHTS STANDARD FPS PLAST



A0101-0010
RED DOT TRIJICON MRO (39 MM, SCREW)



A0201-0003
RED DOT AIMPOINT COMPM4, SCREW



A0201-0004
MAGNIFIER SCOPE AIMPOINT 3XMAG (200336)



A0210-0007
SM-2001 MICRO MOUNT



A0210-0010
SM-3002 MRO MOUNT, ABSOLUTE



A0210-0014
AIM 50 TACTICAL DRAGBAG - GREEN

A0210-0013
AIM 40 TACTICAL DRAGBAG - GREEN



A0105-0001
FRONT HAND STOP
FOR CZ SCORPION EVO 3



A0105-0002
FRONT HAND STOP FOR
CZ SCORPION EVO 3 M-LOCK



A0310-0008
M-LOK ALUMINUM RAIL, 3 SLOTS



A0310-0007
M-LOK ALUMINUM RAIL, 5 SLOTS



A0210-0012
QDM-3001 MRO MOUNT



3722-3500-7310ND
MAGAZINE CAL. 7,62 x 39 (10R)



3662-0770-0725ND
MAGAZINE CAL. 9 x 19 (20R) CZ MAG

3662-0800-0715ND
MAGAZINE CAL. 9 x 19 (10R) CZ MAG

3662-0780-0735 ND
MAGAZINE CAL. 9 x 19 (30R) CZ MAG



3722-3500-6501 ND
BREN 5,56 x 45 (30R) GRIVORY (BLACK)

3722-3500-6503ND
BREN 5,56 x 45 (10R) GRIVORY (BLACK)



D3900-0300
CZ BREN 2 RIFLE TACTICAL BAG, BLACK

D3900-0600
CZ BREN 2 RIFLE TACTICAL BAG, FDE

D3800-0600
CZ SCORPION EVO 3 RIFLE TACTICAL BAG, FDE



A0207-0010M
BREN 2, AU1300-BC
DUAL556-NORMAL (BL) A1 M14 x 1

A0207-0015M
BREN 2 AU1600-BC
DUAL556-SHORT (BL)A1 M14 x 1 LH



A0107-0003M
CZ SCORPION EVO 3,
AU310-I-BC SL6I NORMAL 9 x 19 M18 x 1

A0107-0002M
CZ SCORPION EVO 3,
AU309-I-BC SL4I SHORT 9 x 19 M18 x 1



D2800-0300
1/2 POINT RIFLE SLING, BLACK

D2800-0600
1/2 POINT RIFLE SLING, FDE



A0210-0002
QD SLING SWIVEL 47MM

A0310-0003
QD SLING SWIVEL 25MM



A0310-0006
M-LOK QD SLING MOUNT



5133-1000-01ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
22 LR (5R) STEEL



5073-1000-8802ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
WMR/HMR (5R) POLYMER



5131-1001-02ND
CZ 455 / CZ 457
22 LR, SINGLE SHOT ADAPTER



5133-1200-01ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
22 LR (10R) STEEL



5133-1000-02ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
22 LR (5R) POLYMER



5073-1200-8802ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
WMR/HMR (10R) POLYMER



5133-1200-02ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
22 LR (10R) POLYMER



5123-1225-03ND
MAGAZINE CZ 512
22 LR (15R) POLYMER



5123-1225-02ND
MAGAZINE CZ 455 / CZ 457 / CZ 512
22 LR (25R) POLYMER



6003-4000-6401ND
MAGAZINE CZ 600 223 REM. (5R)

6003-4000-7301ND
MAGAZINE CZ 600 7,62 x 39/224 VAL (5R)



6003-4000-5301ND
MAGAZINE CZ 600
308 WIN/6 CM/6,5 CM/243 WIN (5R)
6,5 PRC (3R)



6003-4000-6901ND
MAGAZINE CZ 600
30-06 SPR/8 x 57 IS/270 WIN (5R)
300 WM (3R)

5083-0096-8591V1ND
MINISET LRP 22 LR (5R) 525 MM, 1/2x20



5083-0090-8991V1ND
MINISET VARMINT 17 HMR (5R) 525 MM, 1/2x20



5083-0190-83V1ND
MINISET JAGUAR 22 LR (10R) 726 MM, 1/2x20



5083-0090-8594V1ND
MINISET MTR 22 LR (5R) 525 MM, 1/2x20



5083-0190-8982V1ND
MINISET AMERICAN 17 HMR (5R) 630 MM, 1/2x20



5083-0091-81V1ND
MINISET STAINLESS 22 LR (5R) 525 MM, 1/2x20

6003-5011-505ND
CZ 600 ALPHA STOCK
MINI ACTION

6003-5012-505ND
CZ 600 ALPHA STOCK
MEDIUM ACTION

6003-5013-505ND
CZ 600 ALPHA STOCK
LONG ACTION



6003-5042-401ND
CZ 600 RANGE STOCK MEDIUM ACTION



6003-5021-203ND
CZ 600 LUX STOCK
MINI ACTION

6003-5022-203ND
CZ 600 LUX STOCK
MEDIUM ACTION

6003-5023-203ND
CZ 600 LUX STOCK
LONG ACTION



6003-8000-6401ND
CZ 600 TRAIL CHASSIS 223 REM

6003-8000-7301ND
CZ 600 TRAIL CHASSIS 7,62 x 39



6002-9000-01ND
CZ 600 RIFLE TOOL SET



6003-5031-504ND
CZ 600 ERGO STOCK
MINI ACTION

6003-5032-504ND
CZ 600 ERGO STOCK
MEDIUM ACTION

6003-5033-504ND
CZ 600 ERGO STOCK
LONG ACTION



6000-3322-01ND
CZ 600 BOLT KNOB POLYMER



6000-3320-02ND
CZ 600 BOLT KNOB WOOD



6000-3320-03ND
CZ 600 BOLT KNOB ALUMINIUM RANGE



6000-3320-51ND
CZ 600 BOLT KNOB ALUMINIUM TRAIL



5120-0330-01
CZ 457 RUBBER BOLT KNOB BLACK





5120-0110-01
CZ RIFLE SLING NYLON / RUBBER - GREEN



5120-0110-02
CZ RIFLE SLING NYLON / RUBBER - BROWN



5120-0110-03
CZ RIFLE SLING NYLON / RUBBER - ORANGE



5120-0110-04
CZ RIFLE SLING TWEED / RUBBER - TWEED



5120-0110-11
CZ RIFLE SLING LEATHER / RUBBER - LIGHT



5120-0110-12
CZ RIFLE SLING LEATHER / RUBBER - DARK



5120-0110-09
CZ RIFLE SLING NYLON / RUBBER - BLACK



5120-0110-05
CZ RIFLE SLING NYLON / RUBBER - CAMO



5500-2990-01ND
TRIGATTI SLING SWIVEL STUD
FOR WOODEN STOCKS



1081-7383
TRIGATTI SLING SWIVEL (2PCS)



1002-4100-05
ATI SLING SWIVEL



5812-1293-04ND
CZ 457 / CZ 600 SLING SWIVEL
FOR WOODEN STOCKS



5120-0400
CZ RIFLE BAG BASIC, 126 CM
BLACK



5120-0500
CZ RIFLE BAG BASIC, 126 CM
FDE



5120-0600
CZ RIFLE BAG PREMIUM, 126 CM
BROWN



5120-0700
CZ RIFLE BAG PREMIUM, 126 CM
GREEN

1070-7005
CZ RIMFIRE RIFLESCOPE 3-9 x 42

Objective Lens Diameter: 42 mm
Magnification: 3x - 9x
Tube Diameter: 1 in.
Reticle Focal Plane: Second Focal Plane (SFP)
Illumination Type: Non-Illuminated
Adjustment Click Value: ¼ MOA
Parallax: 50m
Weather Resistance: Yes
Water Resistance Level: Waterproof



A compact rifle scope with a one inch tube. Its impressive performance includes an industry-leading field of view, fast focus ocular and generous eye relief.

It features a proprietary coating process that maximizes light transmission through each optical element surface. As a result, it transmits over 92% of available light and maintains image clarity, even in low light conditions.

It also features a Double HD lens, created when multiple extra-low dispersion lenses are chemically laminated to minimize light reflection on the surface of multiple lenses, enhance resolution and color contrast of images, and minimize chromatic aberrations.



1070-7010
SPUHR SCOPE MOUNT 2PC, DIA/HEI 1"/1"
1070-7011
SPUHR SCOPE MOUNT 2PC, DIA/HEI 30/1"
1070-7012
SPUHR SCOPE MOUNT 2PC, DIA/HEI 34/1,14"



1070-7001
SCOPE MOUNT CZ 455 / CZ 457 / CZ 512
TWO-PIECE 1"
1070-7002
SCOPE MOUNT CZ 455 / CZ 457 / CZ 512
TWO-PIECE 30 MM



1070-7013
SPUHR ISMS MOUNT 2PC, DIA/HEI 30/1"
1070-7014
SPUHR ISMS MOUNT 2PC, DIA/HEI 34/1"



1070-7015
SPUHR RDS-SCOPE MOUNT
ADAPTER DELTAPOINT



1070-7016
SPUHR RDS-SCOPE MOUNT
ADAPTER TRIJI RMR

1070-9057
PICATINNY RAIL CZ 457 BLACK



1070-9058
PICATINNY RAIL CZ 457 25MOA BLACK



1002-5101-01
CZ 457 TRIGGER GUARD - BLACK
1002-5101-02
CZ 457 TRIGGER GUARD - GOLD
1002-5101-03
CZ 457 TRIGGER GUARD - GREEN
1002-5101-04
CZ 457 TRIGGER GUARD - BLACK
1002-5101-05
CZ 457 TRIGGER GUARD - BLUE



1070-9059
RAIL CZ 457 FOR DIOPTR



C0300-0004
CZ 600 RINGS REMINGTON 2PC,
D. 1", H. 30

C0300-0005
D. 30, H. 34

C0300-0006
D. 34, H. 34

C0300-0007
CZ 600 WEAVER SCOPE RINGS 2PC
D. 1", H. 30

C0300-0008
D. 30, H. 34

C0300-0009
D. 34, H. 34



C0300-0010
CZ 600 WEAVER SCOPE RINGS 1PC
MINI D. 30, H. 30

C0300-0011
MEDIUM D. 30, H. 34

C0300-0012
MEDIUM D. 34, H. 34

C0300-0013
LONG D. 30, H. 34

C0300-0014
LONG D. 34, H. 34

C0300-0015
CZ 600 REMIN. SCOPE RINGS 1PC
MEDIUM D. 30, H. 34

C0300-0016
MEDIUM D. 30, H. 34



5080-0060-80ND
THREAD CAP 1/2 x 20 UNF

5080-0060-90ND
THREAD CAP VARMINT 1/2 x 20 UNF



6000-0010-01ND
MAGAZINE CAP M15 x 1 / D16,5

6000-0010-04ND
MAGAZINE CAP M15 x 1 / D18

6000-0010-08ND
MAGAZINE CAP M18 x 1 / D22



465507007011
COMPENSATOR FOR THREAD 1/2 x 20 UNF
(AMERICAN)

465507007021
COMPENSATOR FOR THREAD 1/2 x 20 UNF
(VARMINT)



545130060481
MUZZLE BRAKE FOR THREAD M18 x 1



C0307-0004M
AU2001-B RADIEN 223 / 25, 15 x 1, BLACK

C0307-0005M
AU2006-B RADIEN 30, 15 x 1, BLACK

C0307-0006M
AU2007-B RADIEN 30, 18 x 1, BLACK

C0307-0007M
AU2101-B RADIEN 9,3 MM, 15 x 1, BLACK

5120-0210-07
SILENCER AIMSPOORT RIMFIRE 22 / 17 1/2 x 20

5120-0210-08
SILENCER AIMSPOORT RIMFIRE 22 / 17 1/2 x 28

C0300-0017
CZ 600 WEAVER RAIL FOR ALUMINUM RECEIVER - MEDIUM

C0300-0018
CZ 600 WEAVER RAIL FOR ALUMINUM RECEIVER - LONG

C0300-0019
CZ 600 WEAVER RAIL FOR ALUMINUM RECEIVER - MINI



C0300-0000
CZ 600 PICATINNY RAIL SHORT 0 MOA



C0300-0003
CZ 600 PICATINNY RAIL LONG 0 MOA

C0300-0001
CZ 600 PICATINNY RAIL MEDIUM 0 MOA

C0300-0002
CZ 600 PICATINNY RAIL MEDIUM 25 MOA



5073-1900-01ND
CZ 455 / CZ 457 CAMP RIFLE REAR SIGHT



1002-5102-03
CZ 457 SET BIATHLON SIGHT
AND BASE - VARMINT



1002-5102-01
CZ 457 BASE FOR BIATHLON
FRONT SIGHT - VARMINT



1002-5102-02
CZ 457 BASE WITH FLAP
FOR BIATHLON
FRONT SIGHT - VARMINT

0721-0700-03ND
TRITIUM SIGHTS, STEEL, SET 3
0721-0700-02ND
TRITIUM SIGHTS, STEEL, SET 2
0721-0700-04ND
TRITIUM SIGHTS, STEEL, SET 4



1081-0101
REAR SIGHT ADJUSTABLE CZ SHADOW 2



1081-0105
REAR SIGHTS ADJUSTABLE CZ TS NEW



1081-0220
FULLY ADJUSTABLE REAR SIGHT CZ TS



1091-1250-01
FRONT SIGHT WHITE DOT H1 5,25 MM
1091-1250-02
FRONT SIGHT WHITE DOT H2 5,50 MM
1091-1250-03
FRONT SIGHT WHITE DOT H2 5,75 MM
1091-1250-04
FRONT SIGHT WHITE DOT H2 6,00 MM
1091-1250-05
FRONT SIGHT WHITE DOT H2 6,25 MM
1091-1250-06
FRONT SIGHT WHITE DOT H2 6,50 MM
1091-1250-07
FRONT SIGHT WHITE DOT H2 6,75 MM
1091-1250-08
FRONT SIGHT WHITE DOT H2 7,00 MM
1091-1250-09
FRONT SIGHT WHITE DOT H2 7,50 MM
1091-1250-10
FRONT SIGHT WHITE DOT H2 8,00 MM
1091-1250-11
FRONT SIGHT WHITE DOT H2 8,50 MM

1091-1251-01
FRONT SIGHT H1 5,25 MM
1091-1251-02
FRONT SIGHT H2 5,50 MM
1091-1251-03
FRONT SIGHT H2 5,75 MM
1091-1251-04
FRONT SIGHT H2 6,00 MM
1091-1251-05
FRONT SIGHT H2 6,25 MM
1091-1251-06
FRONT SIGHT H2 6,50 MM
1091-1251-07
FRONT SIGHT H2 6,75 MM
1091-1251-08
FRONT SIGHT H2 7,00 MM
1091-1251-09
FRONT SIGHT H2 7,50 MM
1091-1251-10
FRONT SIGHT H2 8,00 MM
1091-1251-11
FRONT SIGHT H2 8,50 MM

1091-1252-01
FRONT SIGHT FIBER OPTIC H1 1,5x5,25 MM
1091-1252-02
FRONT SIGHT FIBER OPTIC H2 1,5x5,50 MM
1091-1252-03
FRONT SIGHT FIBER OPTIC H2 1,5x5,75 MM
1091-1252-04
FRONT SIGHT FIBER OPTIC H2 1,5x6,00 MM
1091-1252-05
FRONT SIGHT FIBER OPTIC H2 1,5x6,25 MM
1091-1252-06
FRONT SIGHT FIBER OPTIC H2 1,5x6,50 MM
1091-1252-07
FRONT SIGHT FIBER OPTIC H2 1,5x6,75 MM
1091-1252-08
FRONT SIGHT FIBER OPTIC H2 1,5x7,00 MM
1091-1252-09
FRONT SIGHT FIBER OPTIC H2 1,5x7,50 MM
1091-1252-10
FRONT SIGHT FIBER OPTIC H2 1,5x8,00 MM
1091-1252-11
FRONT SIGHT FIBER OPTIC H2 1,5x8,50 MM

1091-1253-01
FRONT SIGHT FIBER OPTIC H1 1,5x5,25 MM
1091-1253-02
FRONT SIGHT FIBER OPTIC H2 1,5x5,50 MM
1091-1253-03
FRONT SIGHT FIBER OPTIC H2 1,5x5,75 MM
1091-1253-04
FRONT SIGHT FIBER OPTIC H2 1,5x6,00 MM
1091-1253-05
FRONT SIGHT FIBER OPTIC H2 1,5x6,25 MM
1091-1253-06
FRONT SIGHT FIBER OPTIC H2 1,5x6,50 MM
1091-1253-07
FRONT SIGHT FIBER OPTIC H2 1,5x6,75 MM
1091-1253-08
FRONT SIGHT FIBER OPTIC H2 1,5x7,00 MM
1091-1253-09
FRONT SIGHT FIBER OPTIC H2 1,5x7,50 MM
1091-1253-10
FRONT SIGHT FIBER OPTIC H2 1,5x8,00 MM
1091-1253-11
FRONT SIGHT FIBER OPTIC H2 1,5x8,50 MM

HEIGHT OF FRONT SIGHT	FRONT SIGHT WITH DOT *	FRONT SIGHT WITHOUT DOT *	1 MM FIBER OPTIC SIGHT **	1,5 MM FIBER OPTIC SIGHT **
5,25 mm	1091-1250-01	1091-1251-01	1091-1252-01	1091-1253-01
5,5 mm	1091-1250-02	1091-1251-02	1091-1252-02	1091-1253-02
5,75 mm	1091-1250-03	1091-1251-03	1091-1252-03	1091-1253-03
6 mm	1091-1250-04	1091-1251-04	1091-1252-04	1091-1253-04
6,25 mm	1091-1250-05	1091-1251-05	1091-1252-05	1091-1253-05
6,5 mm	1091-1250-06	1091-1251-06	1091-1252-06	1091-1253-06
6,75 mm	1091-1250-07	1091-1251-07	1091-1252-07	1091-1253-07
7 mm	1091-1250-08	1091-1251-08	1091-1252-08	1091-1253-08
7,5 mm	1091-1250-09	1091-1251-09	1091-1252-09	1091-1253-09
8 mm	1091-1250-10	1091-1251-10	1091-1252-10	1091-1253-10
8,5 mm	1091-1250-11	1091-1251-11	1091-1252-11	1091-1253-11

* CZ P-07, CZ P-09
CZ 75 COMPACT
CZ 75 D COMPACT, CZ 75
CZ 75 B Ω, CZ 85, CZ 97
CZ SP-01
CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ PHANTOM
CZ 75 TS, CZ 75 TS CZECHMATE
** CZ 75 COMPACT
CZ 75 D COMPACT, CZ 75
CZ 75 B Ω, CZ 85, CZ 97
CZ SP-01
CZ 75 SP-01 TACTICAL, CZ SHADOW, CZ PHANTOM
CZ 75 TS, CZ 75 TS CZECHMATE

	HEIGHT OF REAR SIGHT	DEFENDER REAR SIGHT WITH DOTS	DEFENDER REAR SIGHT WITHOUT DOTS	TARGET REAR SIGHT WITH DOTS	TARGET REAR SIGHT WITHOUT DOTS	FIBER OPTIC REAR SIGHT
CZ P-07 / CZ P-09	7,3 mm	1091-1260	1091-1263	1091-1266	1091-1269	1091-1272
CZ 75/CZ 85/CZ SP-01	8,3 mm	1091-1261	1091-1264	1091-1267	1091-1270	1091-1273
CZ 75 SP-01 SHADOW	10 mm	1091-1262	1091-1265	1091-1268	1091-1271	1091-1274

	HEIGHT OF REAR SIGHT	WITH FIBER OPTICS 1 MM	WITH FIBER OPTICS 1,5 MM	TRITIUM FRONT SIGHT	TRITIUM REAR SIGHT
CZ P-07 / CZ P-09	5,5 mm	1091-1282-02	1091-1283-02	0720-0600-06ND	0720-0690-01ND
CZ P-07 / CZ P-09	5,75 mm	1091-1282-03	1091-1283-03	0720-0600-07ND	0720-0690-01ND
CZ P-07 / CZ P-09	6 mm	1091-1282-04	1091-1283-04	0720-0600-08ND	0720-0690-01ND



0422-0710-14ND
CZ SP-01 / CZ SHADOW 2
MAGAZINE CAL. 9 × 19 (17R) AFC

0422-0710-17ND
CZ 75 / CZ SP-01 SHADOW / CZ SHADOW 2 /
CZ 75 MAGAZINE (10R) AFC



0422-0710-15ND
CZ SP-01 / CZ SHADOW 2 MAGAZINE
CAL. 9 × 19 (19R) AFC

0472-3710-0706ND
CZ 75 TS MAGAZINE CAL. 9 × 19 (20R)



0422-0710-16ND
CZ 75 / CZ 75 SP-01 / CZ SHADOW 2
MAGAZINE CAL. 9 × 19 (19R) NICKEL



0472-3710-1617ND
CZ TS / CZ TS 2 MAGAZINE CAL. 40S&W (17R)



0582-0710-01ND
CZ P-10 M MAGAZINE CAL. 9 × 19 (7R)



0552-0030-10ND
CZ P-09 / CZ P-10 F MAGAZINE
CAL. 9 × 19 (15R) AFC, WH

0552-0030-04ND
CZ P-10 C / CZ P-07 MAGAZINE
CAL. 9 × 19 (10R) AFC, WH



0552-0030-06ND
CZ P-10 C MAGAZINE
CAL. 9 × 19 (17R) AFC, WH



0722-0030-10ND
CZ P-09 / CZ P-10 F MAGAZINE
CAL. 9 × 19 (19R) AFC

0532-0030-10ND
CZ P-10 F 45 AUTO MAGAZINE
CAL. 45 ACP (13R)

0722-0030-05ND
CZ P-09 / CZ P-10 F MAGAZINE
CAL. 9 × 19 (10R) AFC



0472-3710-0713ND
CZ TS 2 RACING MAGAZINE
(20R) GREEN

0472-3710-0712ND
CZ TS 2 DEEP BRONZE MAGAZINE
(20R) DEEP BRONZE



5125-1099
KYDEX HOLSTER CZ P-10 C (R)

5125-1098
KYDEX HOLSTER CZ P-10 C (L)

5125-1190-02
KYDEX HOLSTER CZ P-10 F (L)

5125-1190-01
KYDEX HOLSTER CZ P-10 F (R)

5125-1191-02
KYDEX HOLSTER CZ P-10 S (L)

5125-1191-01
KYDEX HOLSTER CZ P-10 S (R)

5125-1040
KYDEX HOLSTER CZ P-09 (R)

5125-1041
KYDEX HOLSTER CZ P-09 (L)

5125-1042
KYDEX HOLSTER CZ P-07 (R)

5125-1043
KYDEX HOLSTER CZ P-07 (L)

5125-1060
KYDEX HOLSTER CZ 75 (R)

5125-1062
KYDEX HOLSTER CZ 75 SP-01 (R)



5125-1226
KYDEX OWB CZ P-10 M + OLIGHT (R)

5125-1227
KYDEX OWB CZ P-10 M + OLIGHT (L)



5125-1223
KYDEX IWB CZ P-10 M + OLIGHT (L)

5125-1222
KYDEX IWB CZ P-10 M + OLIGHT (R)



5125-1047
KYDEX POUCH FOR MAGAZINE CZ P-07 / CZ P-09 / CZ P-10, DOUBLE

5125-1049
KYDEX MAGAZINE HOLSTER CZ 75 DOUBLE

5125-1810
DOUBLE MAGAZINE HOLSTER, CZ P-10 M, OWB



5125-1046
KYDEX MAGAZINE HOLSTER CZ P-07 / CZ P-09

5125-1048
KYDEX MAGAZINE HOLSTER CZ 75

5125-1808
KYDEX MAG HOLSTER CZ P-10 M, IWB

5125-1809
KYDEX MAG HOLSTER CZ P-10 M, OWB



5125-1200
KYDEX OWB CZ TS 2 (R)

5125-1201
KYDEX OWB CZ TS 2 (L)



5125-1202
KYDEX SPORT HOLSTER (TEKLOK) CZ TS 2 (R)

5125-1203
KYDEX SPORT (TEKLOK) CZ TS 2 (L)



5125-1220
KYDEX IWB CZ P-10 C + OLIGHT (R)

5125-1221
KYDEX IWB CZ P-10 C + OLIGHT (L)



5125-1230
KYDEX OWB CZ P-10 F, 45 AUTO, NO SWG (R)

5125-1231
KYDEX OWB CZ P-10 F, 45 AUTO, NO SWG (L)

5125-1232
KYDEX OWB CZ P-10 F, 45 AUTO, 1/2 SWG (R)

5125-1234
KYDEX OWB CZ P-10 F, 45 AUTO, FULL SWG (R)

5125-1235
KYDEX OWB CZ P-10 F, 45 AUTO, FULL SWG (L)



5125-1228
KYDEX OWB CZ P-10 SC, F + OLIGHT (R)

5125-1229
KYDEX OWB CZ P-10 SC, F + OLIGHT (L)



5125-1224
KYDEX OWB CZ P-10 C + OLIGHT (R)

5125-1225
KYDEX OWB CZ P-10 C + OLIGHT (L)



5125-1236
KYDEX IWB CZ P-10 S + OLIGHT (R)

5125-1237
KYDEX IWB CZ P-10 S + OLIGHT (L)



5125-1238
KYDEX OWB CZ P-10 S + OLIGHT (R)

5125-1239
KYDEX OWB CZ P-10 S + OLIGHT (L)



5125-1801
KYDEX CZ P-10 M IWB 1/2 SWG (R)

5125-1802
KYDEX CZ P-10 M IWB 1/2 SWG (L)

B0115-0031
KYDEX CZ P-10 S IWB FULL SWG 149 FLUSHCLIP (R)

B0115-0032
KYDEX CZ P-10 C IWB FULL SWG 149 FLUSHCLIP (R)

B0115-0037
KYDEX CZ P-10 M IWB FULL SWG 149 FLUSHCLIP (R)



5125-1803
KYDEX CZ P-10 M - OWB BLACK (R)

5125-1804
KYDEX CZ P-10 M - OWB BLACK (L)



5125-1807
KYDEX CZ P-10 M TRIGGER-GUARD - BLACK



5125-1811
CZ P-10 M TRIGGER-GUARD - BLACK, EXTENDED



5125-1407-01
CONCEALED-CARRY PISTOL BAG, G101, BLACK

5125-1407-02 - GREY

5125-1407-03 - GREEN

5125-1407-04 - PINK





1091-1341-03
AL MAGAZINE BASE PLATE CZ 75 SP-01 RED

1091-1341-04
AL MAGAZINE BASE PLATE CZ 75 SP-01 BLUE

1091-1341-02
AL MAGAZINE BASE PLATE CZ 75 SP-01 SILVER

1091-1341-01
AL MAGAZINE BASE PLATE CZ 75 SP-01 BLACK



1091-1342-03
AL MAGAZINE BASE PLATE CZ TS RED

1091-1342-04
AL MAGAZINE BASE PLATE CZ TS BLUE

1091-1342-02
AL MAGAZINE BASE PLATE CZ TS SILVER

1091-1342-01
AL MAGAZINE BASE PLATE CZ TS BLACK



1091-2180-05
GRIPS CZ SHADOW 2 PURPLE (HARD ELOX) LONG

1091-2180-11
GRIPS CZ SHADOW 2 BLACK (HARD ELOX) LONG

1091-2180-12
GRIPS CZ SHADOW 2 SILVER (HARD ELOX) LONG

1091-2180-14
GRIPS CZ SHADOW 2 BLUE (HARD ELOX) LONG



B0105-0012-06
GRIPS CZ TS 2 LONG BLACK

B0105-0012-11
GRIPS CZ TS 2 LONG RED

B0106-0012-10
GRIPS CZ TS 2 LONG BLUE

B0106-0012-07
GRIPS CZ TS 2 LONG GREEN



B0105-0011-06
GRIPS CZ TS 2 SHORT BLACK

B0105-0011-11
GRIPS CZ TS 2 SHORT RED

B0105-0011-10
GRIPS CZ TS 2 SHORT BLUE



1091-1377-01
MAGAZINE RELEASE SET CZ P-10 BLACK

1091-1377-02 - RED

1091-1377-03 - BLUE

1091-1377-04 - GREEN



0580-0323-02
MAGAZINE RELEASE CZ P-10 M (L)



0470-0080-1604ND
CZ TS CLOSURE RETAINING PIN (ND)



1091-2280-01
MAGWELL CZ SHADOW 2 BLACK (HARD ELOX)

1091-2280-05
MAGWELL CZ SHADOW 2 PURPLE

1091-2280-12
MAGWELL CZ SHADOW 2 SILVER

1091-2280-14
MAGWELL CZ SHADOW 2 BLUE



1091-1345-05
AL MAGAZINE BASE PLATE CZ SHADOW 2 WITH FUNNEL PURPLE

1091-1345-11
AL MAGAZINE BASE PLATE CZ SHADOW 2 WITH FUNNEL BLACK

1091-1345-12
AL MAGAZINE BASE PLATE CZ SHADOW 2 WITH FUNNEL SILVER

1091-1345-14
AL MAGAZINE BASE PLATE CZ SHADOW 2 WITH FUNNEL BLUE

1091-1380-01
TRIGGER CZ P-10 AL ELOX, BLACK

1091-1380-02 - RED

1091-1380-03 - BLUE

1091-1380-04 - GREEN

1091-1390-01
AL TRIGGER CZ P-10 M, BLACK

1091-1390-02 - RED

1091-1390-03 - BLUE

1091-1390-04 - GREEN



1091-1148-01
MAG WELL CZ TS THICK BLACK



1091-1352
THUMBREST CZ TS ANGLE 20° (RACING GREEN)

1091-1353
THUMBREST CZ TS ANGLE 48° (ORANGE)

1091-1354
THUMBREST CZ TS ANGLE 20,5° SHORT. (DEEP BRONZE)



1091-1320
HAMMER SA | DA



1091-1321
HAMMER SA CZ SP-01 SHADOW / SHADOW 2 / CZ 75 TS / CZ 75 TS CZECHMATE



1091-1337
MANUAL SAFETY CZ SHADOW 2 / CZ 75 TS / CZ TS 2 LEFT HANDED



1091-1338
SAFETY SET CZ SHADOW 2 / CZ 75 TS / CZ TS 2, LW-RF



1091-1312-01
TRIGGER CZ TACTICAL SPORT BLACK



0471-0081-1606ND
CZ SHADOW 2 / CZ TS SLIDE STOP, SOLDERED



0423-2500-02ND
SAFETY SET CZ SP-01 / CZ SHADOW 2 / CZ TS / CZ TS 2 RIGHT HANDED



1091-1224
MANUAL SAFETY CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE, AMBI, FLAT

1091-1336
SAFETIES SET CZ 75 SP-01 SHADOW / CZ 75 SP-01 SHADOW ORANGE RIGHT HANDED



1091-1335
WIDE SAFETIES SET CZ SHADOW 2 / CZ 75 TS / CZ TS 2



1091-1410-06
CZ P-10 OR PLATE - SHIELD RMS



1091-1410-08
OPTICS READY PLATE CZ P-10 ACRO
1091-1410-01
CZ P-10 OPTIC READY PLATE - RMR/SRO
1091-1410-03
CZ P-10 OPTIC READY PLATE - DOCTER,
VENOM
1091-1410-09
OR PLATE CZ P-10, C-MOR



1091-1420-01
CZ SHADOW 2 OPTIC READY PLATE - RMR



1091-1420-06
CZ SHADOW 2 OPTIC READY PLATE
- SHIELD
1091-1420-04
CZ SHADOW 2 OR PLATE
- VENOM/DOCTER



1091-1391
RED-DOT SHIELD RMS (AL)



3700-7801
RED DOT TRIJICON SRO, 1 MOA
3700-7800
RED DOT TRIJICON SRO, 2,5 MO
3700-7802
RED DOT TRIJICON SRO, 5 MOA



3700-7700
RED DOT TRIJICON RMR RM06-C-700688+PLATE RM63



B0101-0000
AIMPOINT ACRO P2



1081-0170
CZ P-10 SUPPRESSOR - GIS PSR 9/5 (COMPACT)
B1081-0135M
CZ P-10 SUPPRESSOR B&T COMPACT 9 MM SD-988667-C 1/2"-28

1081-0171
CZ P-10 SUPPRESSOR
GIS PSR 9/7 (STANDARD)

B1081-0136M
CZ P-10 SUPPRESSOR B&T
STANDARD 9 MM SD-988667 1/2"-28

B1081-0123M
CZ P-09, CZ 75 SP-01 PHANTOM SUPPRESSOR
B&T STANDARD WITH ADAPTOR 1/2"-28 UNEF

B1081-0124M
CZ P-07 SUPPRESSOR B&T COMPACT,
WITH ADAPTOR 1/2"-28 UNEF



3660-0040
TACTICAL FLASHLIGHT VALKYRIE MINI 2, BLACK
3660-0041
TACTICAL FLASHLIGHT VALKYRIE MINI 2, DESERT



3660-0023
TACTICAL FLASHLIGHT INFORCE WILD1, 500 LUM



3660-0024
TACTICAL FLASHLIGHT INFORCE WILD2, 1000 LUM



5118-0004-01
NANUK CASE CZ P-10 BLACK
5118-0004-02
NANUK CASE CZ P-10 OLIV
5118-0004-03
NANUK CASE CZ P-10 TAN
5118-0004-04
NANUK CASE CZ P-10 GRAPHITE
5118-0004-05
NANUK CASE CZ P-10 SILVER



5118-0005-01
NANUK CASE CZ SHADOW BLACK
5118-0005-02
NANUK CASE CZ SHADOW OLIV
5118-0005-03
NANUK CASE CZ SHADOW TAN
5118-0005-04
NANUK CASE CZ SHADOW GRAPHITE
5118-0005-05
NANUK CASE CZ SHADOW SILVER
5118-0005-06
NANUK CASE CZ SHADOW ORANGE

CZ CONFIGURATOR

Build the weapon of your dreams

Since 2019, CZ has offered its customers an unrivalled opportunity to build a firearm in exact accordance with their wants and needs via an interactive website. You can choose the color of the frame and slide, type of sights (including a red dot sight), size and color of the controls, magazine capacity and much more. After placing a binding order, the configured weapon is assembled and ready for final sale, which takes place in accordance with legal regulations.

The CZ Configurator is now serving CZ customers in seven countries – the Czech Republic, Slovakia, Austria, France, Germany, Poland, and the United States.

If the CZ Configurator is not yet in your country, contact your local CZ Dealer to express interest in gaining access to this unique online service.

In the meantime, you can fully try out the English version of the CZ Configurator.



czconfigurator.com

Ceska zbrojovka a.s. is a member of **Colt CZ Group SE**

**COLT
CZGROUP**



CZ-USA



Dan Wesson
DAN WESSON FIREARMS



EG CZ
ACADEMY



4M
TACTICAL

