



**MILITARY AND
LAW ENFORCEMENT
FIREARMS**



CZ

For those
who know

**WE DISTRIBUTE OUR PRODUCTS
TO MORE THAN 100 COUNTRIES
AROUND THE WORLD**



The technical specifications provided are for orientation purposes only and may vary according to the specific configuration. The manufacturer reserves the right to make changes or modifications at its sole discretion.

CONTENTS

ABOUT CZ	5
PISTOLS	6
CZ P-10 SERIES	8
CZ P-07/09 SERIES	20
SUB GUNS	28
CZ SCORPION EVO 3	30
SELECT FIRE RIFLES	34
CZ BREN 2 SERIES	36
CZ BREN 2 BR	44
SNIPER RIFLE	48
CZ TSR	50
GRENADE LAUNCHER	52
CZ 805 G1	54



EQUIPPING THE ARMED FORCES SINCE 1936

CZ (Ceska zbrojovka) is a premier Czech manufacturer of precision-engineered firearms. Founded in 1936 in the city of Uhersky Brod, CZ became a joint stock company in 1992, quickly growing into one of the Czech Republic's largest and most influential global exporters.

Thanks to its most precious resource, a highly skilled and motivated work force using state-of-the-art technologies, CZ has established itself as a global leader in one of the world's most challenging manufacturing fields - military-grade firearms.

Contributing to CZ's global success is its commitment to the development and use of some of the world's most advanced manufacturing equipment and processes, which include robotics, fully-automated turning and milling centers, and material coatings that significantly extend the durability and life cycle of its products.

Ultimately, CZ is able to consistently produce world-class products due to stringent quality controls that hold its people, machines and processes to the highest global manufacturing standards. This is achieved by implementing hundreds of inspections throughout the manufacturing process, which include lasers that measure tolerances to a hundredth of a millimeter. CZ's factory in Uhersky Brod, Czech Republic, is ISO 9001 certified.



PISTOLS

For more than 60 years, Ceska zbrojovka has been developing and producing semi-automatic pistols for the military and other armed forces, with its models among the most highly regarded on the world market.

The current range of CZ pistols for the armed forces consists of the striker-fired CZ P-10 series and hammer-fired CZ P-07/09 series. Both feature fiberglass-reinforced polymer frames for lightweight carry and extreme durability in adverse weather conditions. Selected models allow for the easy mounting of a red dot sight and/or suppressor. A black finish comes standard on all pistols, but the popular flat dark earth color scheme is also available on specific models.

Development activities for CZ service pistols are led by product managers with extensive experience in the armed forces. Their ongoing work is enhanced by CZ's world-class research and development facilities, which are powered by ultramodern production and design tools. Consistent feedback from end-users around the world ensures that CZ pistols are created in exact accordance with their specific wants and needs.

CZ P-10 SERIES

A modern, large-capacity striker-fired pistol built to withstand the rigors of military use

The highly advanced CZ P-10 is the first choice of armed forces and police agencies across the globe, due to its leading ergonomics, high reliability and extreme accuracy. From its inception, the CZ P-10 was designed to take on the most demanding missions and withstand the extreme range of adverse weather conditions.

The CZ P-10 series is available in all sizes - full-size, semi-compact, compact, subcompact and micro.



**OUTSTANDING
ERGONOMICS**

**EXTREME
DURABILITY**

MAIN FEATURES



Swappable magazine release is left-handed friendly



Three sizes of interchangeable backstraps to modify grip and finger reach



Drop safety



Lightweight, fiberglass-reinforced polymer frame is mechanically and thermally stable



Ergonomic grip with prominent checkering for superb shooting comfort



Iron sights with three luminescent dots for quick and intuitive aiming



Front and rear cocking serrations for comfortable and safe handling



Extremely durable nitride finish on slide and barrel



Flat ambidextrous slide stop (except CZ P-10 M)

FULL-SIZE

CZ P-10 F

9 × 19 | 19 9 × 19 NATO | 19 9 × 21 | 19

The CZ P-10 F provides users with a large 19+1 firing capacity. Shooting accuracy is also increased due to a longer sight radius.



FULL-SIZE

CZ P-10 F OR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR (Optics-Ready) features a modified slide for quick and easy attachment of a red dot sight.

FULL-SIZE

CZ P-10 F SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

FULL-SIZE

CZ P-10 F OR SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-10 F OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

FULL-SIZE

CZ P-10 F 45 Auto

45 Auto | 13



The 45 Auto model is the largest caliber available in the CZ P-10 series and features a 13+1 capacity, which is impressive for its category. Even with the additional power it provides compared to the 9mm version, there is just a small increase in size and weight.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 F	9 × 19, 9 × 19 NATO, 9 × 21	19/10, 19, 19	810	203 × 32 × 150	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR	9 × 19, 9 × 19 NATO	19	810	203 × 32 × 153	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F SR	9 × 19, 9 × 19 NATO	19	830	225 × 32 × 155	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F OR SR	9 × 19, 9 × 19 NATO	19	830	225 × 32 × 153	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 F 45 Auto	45 Auto	13	930	207 × 34 × 151	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

SEMI-COMPACT

CZ P-10 SC

9 × 19 | 15 9 × 19 NATO | 15



A fiber-reinforced polymer frame pistol that provides the concealability of a compact, with the increased shooting accuracy of a full-sized barrel.



SEMI-COMPACT

CZ P-10 SC OR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

SEMI-COMPACT

CZ P-10 SC SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

SEMI-COMPACT

CZ P-10 SC OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 SC OR SR (Optics-Ready-Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 SC	9 × 19, 9 × 19 NATO	15	790	199 × 32 × 132	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR	9 × 19, 9 × 19 NATO	15	790	199 × 32 × 135	114	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC SR	9 × 19, 9 × 19 NATO	15	810	221 × 32 × 137	134	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 SC OR SR	9 × 19, 9 × 19 NATO	15	810	221 × 32 × 135	134	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

COMPACT

CZ P-10 C

9 × 19 | 15 9×19 NATO | 15 9×21 | 15 380 Auto | 15



The CZ P-10 C features downsized dimensions, an innovative design and large firing capacity. It's the perfect choice for missions that require high accuracy, superior ergonomics and rugged reliability.

COMPACT

CZ P-10 C OR

9 × 19 | 15 9 × 19 NATO | 15



The P-10 C OR (Optics-Ready) features a modified slide for mounting a red dot sight.

COMPACT

CZ P-10 C SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

COMPACT

CZ P-10 C OR SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-10 C OR SR (Optics-Ready, Suppressor-Ready) features both a modified slide for attaching a red dot sight and an extended barrel with 1/2"×28 UNEF – 3A threads for mounting a suppressor.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 C	9 × 19, 9 × 19 NATO, 9 × 21, 380 Auto	15	740	187 × 32 × 132	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR	9 × 19, 9 × 19 NATO	15	740	187 × 32 × 135	102	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C SR	9 × 19, 9 × 19 NATO	15	760	209 × 32 × 137	122	Tritium	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 C OR SR	9 × 19, 9 × 19 NATO	15	760	209 × 32 × 135	122	Luminescent	1/2"×28 UNEF - 3A	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block

SUBCOMPACT

CZ P-10 S

9 × 19 | 12 9 × 19 NATO | 12

The CZ P-10 S's subcompact dimensions make it an ideal choice for concealed carry or as a back-up gun. Despite its smaller size, it provides the same shooting comfort and user-friendliness as the compact version. Plenty of firepower is on hand, with a standard 12-round 9 × 19 magazine that can be extended with a +2 base plate.



SUBCOMPACT

CZ P-10 S OR

9 × 19 | 12 9 × 19 NATO | 12



The CZ P-10 S OR (Optics-Ready) pistol features a modified slide for quick and easy attachment of a red dot sight.

MICRO

CZ P-10 M

9 × 19 | 7



Despite its radical miniaturization, the CZ P-10 M retains outstanding ergonomics and the superb trigger found in all CZ P-10 series pistols. Its dimensions have been optimized for comfortable concealed carry, while providing a magazine capacity of 7+1 in 9 × 19.

FDE On Demand

All CZ P-10 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-10 S	9 × 19, 9 × 19 NATO	12	710	170 × 32 × 116	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 S OR	9 × 19, 9 × 19 NATO	12	710	170 × 32 × 119	89,5	Luminescent	No	25±4	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety, Firing pin block
CZ P-10 M	9 × 19	7	575	160,5 × 25,5 × 112	85	Luminescent	No	52	9±1	4	Fiberglass-reinforced polymer	Trigger safety, Trigger bar safety

CZ P-07/09 SERIES

Exclusive service versions of our top SA/DA polymer frame pistols

The CZ P-07 (compact) and CZ P-09 (full-size) models are known across the world for their comfort, ease of operation, high accuracy (even when shooting rapidly) and absolute reliability in all weather conditions. A key advantage is the original OMEGA trigger mechanism, which features a very smooth pull and short travel in both single and double action modes. Switching from safety to decocker, and vice versa, is achieved with convenient ambidextrous controls for both. High capacity magazines come standard with all calibers and can be further increased with a base plate.

**ROBUST
CONSTRUCTION**

**SMOOTH
SA/DA
TRIGGER**



MAIN FEATURES



Front and rear cocking serrations for comfortable and safe handling of slide



OMEGA trigger mechanism with smooth travel and easy reach in DA mode



Ergonomic hammer



Optimized ergonomics



Mechanically and thermally stable fiberglass-reinforced polymer frame



Three sizes of interchangeable backstraps to modify grip and finger reach



Ambidextrous controls



MIL-STD-1913 rail for attachment of accessories

Convenient switching from safety to decocker and vice versa

FULL-SIZE

CZ P-09

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 is a highly precise, large capacity service pistol designed to function with extreme reliability under the most demanding environmental conditions.

FULL-SIZE

CZ P-09 SR

9 × 19 | 19 9 × 19 NATO | 19



The CZ P-09 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-09	9 × 19, 9 × 19 NATO	19	860	208 × 37 × 148	115	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-09 SR	9 × 19, 9 × 19 NATO	19	880	230 × 37 × 148	135	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block

COMPACT

CZ P-07

9 × 19 | 15 9 × 19 NATO | 15 380 Auto | 15



A compact SA/DA pistol primarily designed for armed forces concealed carry, it features an external hammer and durable, fiberglass-reinforced polymer frame. This extremely popular model is remarkably accurate and reliable in all situations.

COMPACT

CZ P-07 SR

9 × 19 | 15 9 × 19 NATO | 15



The CZ P-07 SR (Suppressor-Ready) features an extended barrel with 1/2"×28 UNEF – 3A threads and high luminescent sights.

FDE On Demand

CZ P-07 and CZ P-09 models are available with fiberglass-reinforced polymer frames finished in the flat dark earth color scheme.



MODEL	CALIBER	MAGAZINE CAPACITY	WEIGHT with empty magazine (g)	DIMENSIONS L × W × H (mm)	BARREL LENGTH (mm)	SIGHTS	THREAD	TRIGGER PULL (N)	TRIGGER TRAVEL (mm)	TRIGGER RESET (mm)	FRAME	SAFETY FEATURES
CZ P-07	9 × 19, 9 × 19 NATO, 380 Auto	15	780	185 × 37 × 130	95	Luminescent	No	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block
CZ P-07 SR	9 × 19, 9 × 19 NATO	15	800	207 × 37 × 130	115	Luminescent	1/2"×28 UNEF - 3A	SA: 21 DA: 44±2	SA: 10±1 DA: 13±2	7±1	Fiberglass-reinforced polymer	Manual safety, Safety notch on the hammer, Firing pin block



SUB GUNS

The CZ Scorpion EVO 3 platform is a highly accurate and proven performer across a range of demanding situations. Its outstanding build quality and advanced ergonomics ensure flawless operation and handling in the field. A suppressor, red dot sight, flashlight, laser and interchangeable backstraps can all be easily attached for maximum efficiency and user comfort.

CZ SCORPION

EVO 3 A1

A light automatic firearm designed around our patented blowback design, which combines a robust, dynamic breech with a removable trigger housing. Unlike competing models, the CZ SCORPION EVO 3 A1 features a firing pin block for delivering an even higher level of safety. With the addition of sophisticated ergonomics, extreme accuracy in all modes of fire and proven reliability, it's the right choice for challenging conditions around the world.

FASTEST
RELOADING SPEEDS
IN ITS CATEGORY



SIMPLE AND
RELIABLE
BLOWBACK SYSTEM

CZ SCORPION EVO 3 A1

9 × 19 | 30 9 × 19 NATO | 30



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (MM)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	FRAME
CZ SCORPION EVO 3 A1	9 × 19, 9 × 19 NATO	1:10 / 6	30	7,7 / 196 ± 1	M18×1	Iron, Adjustable	2,61 ± 0,05	420 / 625-675 ± 10	215 ± 5	60 / 82 ± 5	48±10	Fiberglass-reinforced polymer

Adjustable pistol grip radius for fine-tuning reach

Flared and tapered magwell for maximum reloading speeds

Non-reciprocating charging handle with side-to-side swappable design

Folding, extendable fiberglass-reinforced polymer stock

Muzzle threads hidden under standard flash hider

MIL-STD-1913 rails for mounting accessories



SELECT FIRE RIFLES

CZ select fire rifles are among the highest performers in their class due to advanced CZ development and manufacturing processes, together with the ongoing feedback we receive from some of the world's most elite special units and armed forces.

Military professionals value their modern, comprehensive platform designed to deliver high reliability, extreme accuracy and outstanding user comfort. Models are available in 5,56 × 45 NATO, 7,62 × 39 and 7,62 × 51 NATO chamberings.

CZ BREN 2 SERIES

The advanced design, superb build quality and leading reliability of our flagship CZ BREN 2 rifle series makes it the firearm of choice for leading military professionals across the globe.

Its high quality, aluminum alloy upper receiver and highly durable polymer trigger housing ensure lightweight carry and extreme resistance to adverse weather conditions. The ergonomic design, adjustable non-reciprocating charging handle, folding/adjustable stock and ambidextrous controls allow for the CZ BREN 2 to be completely customized for each user. Its multi-caliber system allows for the easy transition between the powerful 5,56 × 45 NATO and 7,62 × 39 calibers, and back again.

**MULTICALIBER
SYSTEM**

**LIGHTWEIGHT
CARRY**



MAIN FEATURES

Only 45° of travel between firing mode positions

Rubber butt pad

Three-arm flash hider

Four MIL-STD-1913 mounting rails

Ambidextrous/Adjustable controls

3-stage gas tube regulator

Adjustable non-reciprocating charging handle

Made from high quality aluminum alloy and extremely durable polymer

Folding, extendable polymer stock

Pistol grip with interchangeable backstraps and storage space

8"



CZ BREN 2 5,56 × 45 NATO

The CZ BREN 2 5,56 × 45 NATO comes in three barrel lengths for striking a balance between portability and shooting accuracy at longer distances.

The 8" barrel version is also available with a four-position telescopic stock that can be extended to its maximum length with a quick pull. As a result, you're provided with a powerful firearm that's compact and easy to operate, as well as accurate during rapid firing.

8"

TELESCOPIC STOCK



11"



14"



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 - 8"	5,56 × 45 NATO	1:7 / 6	30	8 / 207 ± 1	M14×1 LH	Iron, Folding, Adjustable	2,89 ± 0,05	505 / 684-733 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 8" TELESCOPIC STOCK	5,56 × 45 NATO	1:7 / 6	30	8 / 207 ± 1	M14×1 LH	Iron, Folding, Adjustable	3,08 ± 0,05	560-740 ± 10	202 ± 5	80 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 11"	5,56 × 45 NATO	1:7 / 6	30	11 / 280 ± 1	M14×1 LH	Iron, Folding, Adjustable	2,99 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 14"	5,56 × 45 NATO	1:7 / 6	30	14 / 357 ± 1	M14×1 LH	Iron, Folding, Adjustable	3,10 ± 0,05	657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy

9"



CZ BREN 2

7,62 × 39

The CZ BREN 2 chambered in 7,62 × 39 offers three options for barrel length, two shorter barrels for portability and one longer barrel for increased shooting accuracy at longer distances.

A four-position telescopic stock is available with the 9" barrel version, which can be extended to its maximum length with a quick pull. As a result, you're provided with a powerful firearm that's compact and easy to operate, as well as accurate during rapid firing.

9"

TELESCOPIC STOCK



11"



14"



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 - 9"	7,62 × 39	1:9,45 / 4	30	9 / 227 ± 1	M14×1 LH	Iron, Folding, Adjustable	2,85 ± 0,05	525 / 706-753 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 9" TELESCOPIC STOCK	7,62 × 39	1:9,45 / 4	30	9 / 227 ± 1	M14×1 LH	Iron, Folding, Adjustable	3,03 ± 0,05	580-760 ± 10	202 ± 5	80 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 11"	7,62 × 39	1:9,45 / 4	30	11 / 280 ± 1	M14×1 LH	Iron, Folding, Adjustable	2,90 ± 0,05	577 / 762-807 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy
CZ BREN 2 - 14"	7,62 × 39	1:9,45 / 4	30	14 / 357 ± 1	M14×1 LH	Iron, Folding, Adjustable	3,01 ± 0,05	657 / 840-884 ± 10	202 ± 5	80 / 104 ± 5	25±5	7075 T6 aluminum alloy

CZ BREN 2 BR

The CZ BREN 2 BR is a cutting-edge automatic firearm that combines the best qualities of the successful CZ BREN 2 model series with the higher performance and increased power of the 7,62 × 51 NATO cartridge.

The result is a new generation light select fire rifle, which is characterized by exceptional reliability, high accuracy, outstanding ergonomics and ease of control. Compared to smaller caliber rifles, the CZ BREN 2 BR with 16" barrel and 7,62 × 51 NATO chambering boasts a considerably longer effective range with greater downrange energy.

**POWERFUL
CALIBER**



**LIGHTWEIGHT
CARRY**

CZ BREN 2 BR
7,62 × 51 NATO

16"



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	SIGHTS	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED - FULLY EXTENDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	UPPER RECEIVER
CZ BREN 2 BR - 16"	7,62 × 51 NATO	1:11 / 4	25	16 / 407 ± 1	M15×1	Iron, Folding, Adjustable	3,78 ± 0,05	735 / 925-995 ± 10	210 ± 5	80 / 110 ± 5	16±4	7075 T6 aluminum alloy

**FULLY
ADJUSTABLE**

**OUTSTANDING
ACCURACY**



CZ TSR

The ultimate sniper rifle chambered for the high performance 308 Win. cartridge for consistent, highly accurate shots at longer distances.

The CZ TSR ensures SUB-MOA accuracy for a minimum of 10,000 rounds. Designed for precision bullet placement by all users, the TSR boasts key design elements like an adjustable weight trigger, adjustable folding stock, and helical fluting pattern on the bolt that ensures reliable function even when faced with dirt and debris. Due to several STANAG 4694 mounting rails, the CZ TSR can be customized with a wide range of accessories that answer the needs of its users. Built to be reliable under all environmental conditions, the CZ TSR is expertly crafted using world-class materials.

CZ TSR

308 Win. | 10



MODEL	CALIBER	TWIST RATE / NUMBER OF GROOVES	MAGAZINE CAPACITY	BARREL LENGTH ("/mm)	THREAD	WEIGHT WITHOUT MAGAZINE (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	HEIGHT	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	1ST TRIGGER PULL WEIGHT [N]	2ND TRIGGER PULL WEIGHT [N]	STOCK
CZ TSR	308 Win.	1:11 / 4	10	26 / 660 ± 1	M18×1	6,3	920 / 1237 ± 10	192 ± 5	70 / 95 ± 5	3-5	10-20	7075 T6 aluminum alloy

Adjustable double-stage trigger

Thick-walled, cold hammer forged barrel with SUB-MOA accuracy

MIL-STD-1913 mounting rails

Bolt handle designed for reliable and fast reloading, even with a mounted riflescope

10-round 308 Win. magazine

Helical bolt fluting helps clear dirt and debris

CZ 805 G1

A light and compact single-shot grenade launcher. The CZ 805 G1 grenade launcher can be used with a wide range of modern, standardized 40 × 46 caliber grenades, as well as with nonlethal ammunition. Advantages include its simple design and easy-to-use controls, high accuracy at long distances, an option to change the left/right swivel direction of the barrel, and a folding trigger guard when shooting with gloves. The CZ 805 G1 grenade launcher may be used as a standalone firearm on its own carrier or attached under a rifle.

**FULLY
AMBIDEXTROUS
OPERATION**

**SIMPLE
AND
RELIABLE**



CZ 805 G1

40 × 46 | 1

MODEL	CALIBER	CAPACITY	BARREL LENGTH ("/mm)	SIGHTS	WEIGHT OF EMPTY WEAPON (kg)	OVERALL LENGTH WITH STOCK FOLDED / UNFOLDED (mm)	HEIGHT WITH FOLDED IRON SIGHTS, NO MAGAZINE (mm)	WIDTH WITH STOCK UNFOLDED / FOLDED (mm)	TRIGGER PULL WEIGHT (N)	FRAME
CZ 805 G1	40 × 46	1	250	Iron, Adjustable	2,37 ± 0,05	415 / 624 ± 5	184 ± 5	62 / 94 ± 5	45±10	7075 T6 aluminum alloy



Folding trigger guard for gloved shooting



Easy change of left/right barrel swivel direction for loading longer grenade rounds



Barrel cap prevents muzzle damage to maintain long-range firing accuracy



Sliding manual trigger safety



Separate carrier with folding, easily removable shoulder stock



MIL-STD-1913 mounting rail



CZ

For those
who know



Ceska zbrojovka a.s. has been a member of **Colt CZ Group SE**

COLT CZGROUP



CZ



COLT



CZ-USA



COLT



Dan Wesson
DAN WESSON FIREARMS



SPUHR



EG CZ
ACADEMY



4M
TACTICAL



CZ

For those
who know



CZfirearms



@CZguns



CZfirearmsOfficial

czub.cz